

NTFS Permissions on Shared folders. (File Shares)

Period: **Last 20 week(s)**
 Generated: **Friday, January 11, 2008 3:02:07 PM**
 For: **Brian Bartlett bbartlett@ecora.com**
 By: Ecora Auditor Professional 4.5 - Windows Module 4.5.8010.20310
 Using: Customized FFR Definition based on 'NTFS Permissions on Shared folders. (File Shares)'
 Description: A Fact-Finding report will show values greater than, less than, or unlike a threshold value you set. These reports are very surgical in their precision - you can pull precisely the data you need, but they also offer a wealth of data through hundreds of built-in reports created by experts.

NTFS Permissions on Shared folders. (File Shares)

Table of Contents

NTFS Permissions. **1**

Collected Not-Collected Legend

DEFAULT	The value presented in the report was not directly reported by the target, but implied by the current value or lack of a value for the attribute
UA	Unavailable attribute. The current configuration or version of target platform does not provide a value for this attribute. More detail in logs
FC	Collection of value failed
NS	Value not selected for collection

NTFS Permissions.

Table 1. BSP/BIGMOUNTAIN > ADMIN\$

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	
BUILTIN\Server Operators (alias)	Allow - Main(Change).	This folder only	
BUILTIN\Server Operators (alias)	Allow - Main(Modify).	Subfolders and files only	
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read & Execute).	Subfolders and files only	
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read).	This folder only	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	

Table 2. BSP/BIGMOUNTAIN > BSP-Shares

Account	Permission	AppliesTo	Inherited From
BSP\DB2ADMNS (alias)	Allow - Main(Read & Execute).	This folder, subfolders and files	
BSP\Domain Admins (group)	Allow - Main(Full).	This folder, subfolders and files	
BSP\Engineering (group)	Allow - Main(List).	This folder and subfolders	
BSP\IUSR_BIGMOUNTAIN (user)	Allow - Special(List Folder/Read Data,Read Permissions).	This folder, subfolders and files	
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	

Table 3. BSP/BIGMOUNTAIN > C\$

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	
BUILTIN\Users (alias)	Allow - Main(Read & Execute).	Subfolders and files only	
BUILTIN\Users (alias)	Allow - Main(Read).	This folder only	
BUILTIN\Users (alias)	Allow - Special(Create Files/Write Data).	Subfolders only	
BUILTIN\Users (alias)	Allow - Special(Create Folders/Append Data).	This folder and subfolders	
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	
Everyone (well-known group)	Allow - Main(Read).	This folder only	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	

Table 4. BSP/BIGMOUNTAIN > D\$

Account	Permission	AppliesTo	Inherited From
Everyone (well-known group)	Allow - Main(Full).	This folder, subfolders and files	

Table 5. BSP/BIGMOUNTAIN > NETLOGON

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	D:\WINNT\SYSVOL\
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	D:\WINNT\SYSVOL\
BUILTIN\Server Operators (alias)	Allow - Main(Read & Execute).	Subfolders and files only	D:\WINNT\SYSVOL\
BUILTIN\Server Operators (alias)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	D:\WINNT\SYSVOL\
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	D:\WINNT\SYSVOL\
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read & Execute).	Subfolders and files only	D:\WINNT\SYSVOL\
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	D:\WINNT\SYSVOL\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	D:\WINNT\SYSVOL\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	D:\WINNT\SYSVOL\

Table 6. BSP/BIGMOUNTAIN > Push

Account	Permission	AppliesTo	Inherited From
Everyone (well-known group)	Allow - Main(Full).	This folder, subfolders and files	D:\

Table 7. BSP/BIGMOUNTAIN > REPL\$

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder, subfolders and files	
BUILTIN\Replicator (alias)	Allow - Main(Modify).	This folder, subfolders and files	
BUILTIN\Server Operators (alias)	Allow - Main(Modify).	This folder, subfolders and files	
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	
Everyone (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder, subfolders and files	

Table 8. BSP/BIGMOUNTAIN > SYSVOL

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	D:\WINNT\SYSVOL\
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	D:\WINNT\SYSVOL\
BUILTIN\Server Operators (alias)	Allow - Main(Read & Execute).	Subfolders and files only	D:\WINNT\SYSVOL\
BUILTIN\Server Operators (alias)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	D:\WINNT\SYSVOL\
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	D:\WINNT\SYSVOL\
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read & Execute).	Subfolders and files only	D:\WINNT\SYSVOL\
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	D:\WINNT\SYSVOL\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	D:\WINNT\SYSVOL\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	D:\WINNT\SYSVOL\

Table 9. BSP/BIGMOUNTAIN > TestDTD

Account	Permission	AppliesTo	Inherited From
Everyone (well-known group)	Allow - Main(Full).	Subfolders and files only	Parent Object
Everyone (well-known group)	Allow - Main(Full).	This folder only	Parent Object

Table 10. BSP/CHEYENNE > ADMIN\$

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	
BUILTIN\Power Users (alias)	Allow - Main(Change).	This folder only	

Account	Permission	AppliesTo	Inherited From
BUILTIN\Power Users (alias)	Allow - Main(Modify).	Subfolders and files only	
BUILTIN\Users (alias)	Allow - Main(Read & Execute).	Subfolders and files only	
BUILTIN\Users (alias)	Allow - Main(Read).	This folder only	
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	

Table 11. BSP/CHEYENNE > AgntInstall

Account	Permission	AppliesTo	Inherited From
BSP\bbartlett (user)	Allow - Main(Full).	This folder, subfolders and files	C:\Program Files\Ecora\
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	C:\Program Files\
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	C:\Program Files\
BUILTIN\Power Users (alias)	Allow - Main(Modify).	Subfolders and files only	C:\Program Files\
BUILTIN\Power Users (alias)	Allow - Main(Modify).	This folder only	C:\Program Files\
BUILTIN\Users (alias)	Allow - Main(Read & Execute).	Subfolders and files only	C:\Program Files\
BUILTIN\Users (alias)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	C:\Program Files\
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\Program Files\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\Program Files\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	C:\Program Files\
NT AUTHORITY\TERMINAL SERVER USER (well-known group)	Allow - Main(Modify).	Subfolders and files only	C:\Program Files\
NT AUTHORITY\TERMINAL SERVER USER (well-known group)	Allow - Main(Modify).	This folder only	C:\Program Files\

Table 12. BSP/CHEYENNE > C\$

Account	Permission	AppliesTo	Inherited From
BSP\bbartlett (user)	Allow - Main(Full).	This folder, subfolders and files	
BSP\Domain Admins (group)	Allow - Main(Full).	This folder, subfolders and files	
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder, subfolders and files	
Everyone (well-known group)	Allow - Main(Read).	This folder only	
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder, subfolders and files	

Table 13. BSP/CHEYENNE > CHEY_Standalone

Account	Permission	AppliesTo	Inherited From
BSP\bill (user)	Allow - Main(List).	This folder and subfolders	
BSP\Debbie (user)	Allow - Main(Read).	This folder, subfolders and files	

Account	Permission	AppliesTo	Inherited From
BSP\ekrasnov (user)	Allow - Main(Read & Execute).	This folder, subfolders and files	
BSP\swlittlehale (user)	Allow - Main(Full).	This folder, subfolders and files	
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder, subfolders and files	
S-1-5-21-605122052-1104181356-311576647-22072	Allow - Main(List).	This folder and subfolders	

Table 14. BSP/CHEYENNE > Clients

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	c:\winnt\system32\
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	c:\winnt\system32\
BUILTIN\Power Users (alias)	Allow - Main(Modify).	Subfolders and files only	c:\winnt\system32\
BUILTIN\Power Users (alias)	Allow - Main(Modify).	This folder only	c:\winnt\system32\
BUILTIN\Users (alias)	Allow - Main(Read & Execute).	Subfolders and files only	c:\winnt\system32\
BUILTIN\Users (alias)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	c:\winnt\system32\
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	c:\winnt\system32\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	c:\winnt\system32\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	c:\winnt\system32\

Table 15. BSP/CHEYENNE > DB2views

Account	Permission	AppliesTo	Inherited From
BSP\bbartlett (user)	Allow - Main(Full).	This folder, subfolders and files	C:\Program Files\Ecora\
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	C:\Program Files\
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	C:\Program Files\
BUILTIN\Power Users (alias)	Allow - Main(Modify).	Subfolders and files only	C:\Program Files\
BUILTIN\Power Users (alias)	Allow - Main(Modify).	This folder only	C:\Program Files\
BUILTIN\Users (alias)	Allow - Main(Read & Execute).	Subfolders and files only	C:\Program Files\
BUILTIN\Users (alias)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	C:\Program Files\
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\Program Files\
Everyone (well-known group)	Allow - Main(Full).	This folder, subfolders and files	
Everyone (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	C:\Program Files\Ecora\Auditor41\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\Program Files\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	C:\Program Files\
NT AUTHORITY\TERMINAL SERVER USER (well-known group)	Allow - Main(Modify).	Subfolders and files only	C:\Program Files\
NT AUTHORITY\TERMINAL SERVER USER (well-known group)	Allow - Main(Modify).	This folder only	C:\Program Files\

Table 16. BSP/CHEYENNE > DFSShares

Account	Permission	AppliesTo	Inherited From
BSP\bbartlett (user)	Allow - Main(Full).	This folder, subfolders and files	C:\
BSP\Domain Admins (group)	Allow - Main(Full).	This folder, subfolders and files	C:\
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder, subfolders and files	C:\
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	C:\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder, subfolders and files	C:\

Table 17. BSP/CHEYENNE > DwnLds

Account	Permission	AppliesTo	Inherited From
BSP\bbartlett (user)	Allow - Main(Full).	This folder, subfolders and files	C:\
BSP\Domain Admins (group)	Allow - Main(Full).	This folder, subfolders and files	C:\
BSP\Domain Users (group)	Allow - Main(Read & Execute).	This folder, subfolders and files	
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder, subfolders and files	C:\
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	C:\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder, subfolders and files	C:\

Table 18. BSP/CHEYENNE > DwnLds\$

Account	Permission	AppliesTo	Inherited From
BSP\bbartlett (user)	Allow - Main(Full).	This folder, subfolders and files	c:\
BSP\Domain Admins (group)	Allow - Main(Full).	This folder, subfolders and files	c:\
BSP\Domain Users (group)	Allow - Main(Read & Execute).	This folder, subfolders and files	
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder, subfolders and files	c:\
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	c:\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder, subfolders and files	c:\

Table 19. BSP/CHEYENNE > E\$

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder, subfolders and files	
BUILTIN\Users (alias)	Allow - Main(Read & Execute).	This folder, subfolders and files	
BUILTIN\Users (alias)	Allow - Special(Create Files/Write Data).	Subfolders only	
BUILTIN\Users (alias)	Allow - Special(Create Folders/Append Data).	This folder and subfolders	
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	
Everyone (well-known group)	Allow - Main(Read).	This folder only	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder, subfolders and files	

Table 20. BSP/CHEYENNE > FDCC

Account	Permission	AppliesTo	Inherited From
BSP\bbartlett (user)	Allow - Main(Full).	Subfolders and files only	C:\Documents and Settings\bbartlett\
BSP\bbartlett (user)	Allow - Main(Full).	This folder only	C:\Documents and Settings\bbartlett\
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	C:\Documents and Settings\bbartlett\
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	C:\Documents and Settings\bbartlett\
Everyone (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\Documents and Settings\bbartlett\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	C:\Documents and Settings\bbartlett\

Table 21. BSP/CHEYENNE > LogoCert

Account	Permission	AppliesTo	Inherited From
BSP\bbartlett (user)	Allow - Main(Full).	Subfolders and files only	C:\Documents and Settings\bbartlett\
BSP\bbartlett (user)	Allow - Main(Full).	This folder only	C:\Documents and Settings\bbartlett\
BSP\jmealey (user)	Allow - Main(Modify).	This folder, subfolders and files	C:\Documents and Settings\bbartlett\My Documents\
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	C:\Documents and Settings\bbartlett\
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	C:\Documents and Settings\bbartlett\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\Documents and Settings\bbartlett\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	C:\Documents and Settings\bbartlett\

Table 22. BSP/CHEYENNE > OMB-XP

Account	Permission	AppliesTo	Inherited From
BSP\bbartlett (user)	Allow - Main(Full).	Subfolders and files only	C:\Documents and Settings\bbartlett\
BSP\bbartlett (user)	Allow - Main(Full).	This folder only	C:\Documents and Settings\bbartlett\
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	C:\Documents and Settings\bbartlett\
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	C:\Documents and Settings\bbartlett\
Everyone (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\Documents and Settings\bbartlett\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	C:\Documents and Settings\bbartlett\

Table 23. BSP/CHEYENNE > print\$

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	C:\WINNT\System32\
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	C:\WINNT\System32\
BUILTIN\Power Users (alias)	Allow - Main(Modify).	Subfolders and files only	C:\WINNT\System32\
BUILTIN\Power Users (alias)	Allow - Main(Modify).	This folder only	C:\WINNT\System32\

Account	Permission	AppliesTo	Inherited From
BUILTIN\Users (alias)	Allow - Main(Read & Execute).	Subfolders and files only	C:\WINNT\System32\
BUILTIN\Users (alias)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	C:\WINNT\System32\
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\WINNT\System32\
Everyone (well-known group)	Allow - Main(Read & Execute).	Subfolders and files only	
Everyone (well-known group)	Allow - Main(Read).	This folder only	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\WINNT\System32\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	C:\WINNT\System32\

Table 24. BSP/CHEYENNE > Public

Account	Permission	AppliesTo	Inherited From
BSP\bbartlett (user)	Allow - Main(Full).	This folder, subfolders and files	
BSP\Brian (user)	Allow - Main(Modify).	This folder, subfolders and files	
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder, subfolders and files	
Everyone (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	

Table 25. BSP/CHEYENNE > RK\$

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	C:\Program Files\
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	C:\Program Files\
BUILTIN\Power Users (alias)	Allow - Main(Modify).	Subfolders and files only	C:\Program Files\
BUILTIN\Power Users (alias)	Allow - Main(Modify).	This folder only	C:\Program Files\
BUILTIN\Users (alias)	Allow - Main(Read & Execute).	Subfolders and files only	C:\Program Files\
BUILTIN\Users (alias)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	C:\Program Files\
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\Program Files\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\Program Files\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	C:\Program Files\
NT AUTHORITY\TERMINAL SERVER USER (well-known group)	Allow - Main(Modify).	Subfolders and files only	C:\Program Files\
NT AUTHORITY\TERMINAL SERVER USER (well-known group)	Allow - Main(Modify).	This folder only	C:\Program Files\
S-1-5-21-346178167-506158821-311576647-1602	Allow - Main(Read & Execute).	This folder, subfolders and files	

Table 26. BSP/CHEYENNE > SQLSTDEdition

Account	Permission	AppliesTo	Inherited From
BSP\bbartlett (user)	Allow - Main(Full).	This folder, subfolders and files	C:\
BSP\Domain Admins (group)	Allow - Main(Full).	This folder, subfolders and files	C:\
BSP\Domain Users (group)	Allow - Main(Read & Execute).	This folder, subfolders and files	C:\Downloads\

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder, subfolders and files	C:\
Everyone (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	C:\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder, subfolders and files	C:\

Table 27. BSP/CHEYENNE > TextPad4

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	C:\Program Files\
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	C:\Program Files\
BUILTIN\Power Users (alias)	Allow - Main(Modify).	Subfolders and files only	C:\Program Files\
BUILTIN\Power Users (alias)	Allow - Main(Modify).	This folder only	C:\Program Files\
BUILTIN\Users (alias)	Allow - Main(Read & Execute).	Subfolders and files only	C:\Program Files\
BUILTIN\Users (alias)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	C:\Program Files\
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\Program Files\
Everyone (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\Program Files\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	C:\Program Files\
NT AUTHORITY\TERMINAL SERVER USER (well-known group)	Allow - Main(Modify).	Subfolders and files only	C:\Program Files\
NT AUTHORITY\TERMINAL SERVER USER (well-known group)	Allow - Main(Modify).	This folder only	C:\Program Files\

Table 28. BSP/CHEYENNE > this is a test root

Account	Permission	AppliesTo	Inherited From
BSP\bbartlett (user)	Allow - Main(Full).	This folder, subfolders and files	C:\
BSP\Domain Admins (group)	Allow - Main(Full).	This folder, subfolders and files	C:\
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder, subfolders and files	C:\
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read & Execute).	This folder, subfolders and files	C:\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder, subfolders and files	C:\

Table 29. BSP/PITA1 > ADMIN\$

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	
BUILTIN\Server Operators (alias)	Allow - Main(Change).	This folder only	
BUILTIN\Server Operators (alias)	Allow - Main(Modify).	Subfolders and files only	
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	

Account	Permission	AppliesTo	Inherited From
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read & Execute).	Subfolders and files only	
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read).	This folder only	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	

Table 30. BSP/PITA1 > C\$

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder, subfolders and files	
BUILTIN\Users (alias)	Allow - Main(Read & Execute).	This folder, subfolders and files	
BUILTIN\Users (alias)	Allow - Special(Create Files/Write Data).	Subfolders only	
BUILTIN\Users (alias)	Allow - Special(Create Folders/Append Data).	This folder and subfolders	
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	
Everyone (well-known group)	Allow - Main(Read).	This folder only	
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder, subfolders and files	

Table 31. BSP/PITA1 > ECORA

Account	Permission	AppliesTo	Inherited From
BSP\DB2ADMNS (alias)	Allow - Main(Full).	This folder, subfolders and files	
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder, subfolders and files	C:\
BUILTIN\Users (alias)	Allow - Main(Read & Execute).	This folder, subfolders and files	C:\
BUILTIN\Users (alias)	Allow - Special(Create Files/Write Data).	This folder and subfolders	C:\
BUILTIN\Users (alias)	Allow - Special(Create Folders/Append Data).	This folder and subfolders	C:\
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder, subfolders and files	C:\

Table 32. BSP/PITA1 > F\$

Account	Permission	AppliesTo	Inherited From
BSP\swlitttlehale (user)	Allow - Main(Full).	This folder, subfolders and files	
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder, subfolders and files	
BUILTIN\Users (alias)	Allow - Main(Read & Execute).	This folder, subfolders and files	
BUILTIN\Users (alias)	Allow - Special(Create Files/Write Data).	Subfolders only	
BUILTIN\Users (alias)	Allow - Special(Create Folders/Append Data).	This folder and subfolders	
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	
Everyone (well-known group)	Allow - Main(Read).	This folder only	

Account	Permission	AppliesTo	Inherited From
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder, subfolders and files	

Table 33. BSP/PITA1 > NETLOGON

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	C:\WINDOWS\SYSTEM32\NETLOGON
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	C:\WINDOWS\SYSTEM32\NETLOGON
BUILTIN\Server Operators (alias)	Allow - Main(Read & Execute).	Subfolders and files only	C:\WINDOWS\SYSTEM32\NETLOGON
BUILTIN\Server Operators (alias)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	C:\WINDOWS\SYSTEM32\NETLOGON
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\WINDOWS\SYSTEM32\NETLOGON
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read & Execute).	Subfolders and files only	C:\WINDOWS\SYSTEM32\NETLOGON
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	C:\WINDOWS\SYSTEM32\NETLOGON
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\WINDOWS\SYSTEM32\NETLOGON
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	C:\WINDOWS\SYSTEM32\NETLOGON

Table 34. BSP/PITA1 > SYSVOL

Account	Permission	AppliesTo	Inherited From
BUILTIN\Administrators (alias)	Allow - Main(Full).	Subfolders and files only	C:\WINDOWS\SYSTEM32\SYSVOL
BUILTIN\Administrators (alias)	Allow - Main(Full).	This folder only	C:\WINDOWS\SYSTEM32\SYSVOL
BUILTIN\Server Operators (alias)	Allow - Main(Read & Execute).	Subfolders and files only	C:\WINDOWS\SYSTEM32\SYSVOL
BUILTIN\Server Operators (alias)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	C:\WINDOWS\SYSTEM32\SYSVOL
CREATOR OWNER (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\WINDOWS\SYSTEM32\SYSVOL
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read & Execute).	Subfolders and files only	C:\WINDOWS\SYSTEM32\SYSVOL
NT AUTHORITY\Authenticated Users (well-known group)	Allow - Main(Read); Special(Traverse Directory/Execute File).	This folder only	C:\WINDOWS\SYSTEM32\SYSVOL
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	Subfolders and files only	C:\WINDOWS\SYSTEM32\SYSVOL
NT AUTHORITY\SYSTEM (well-known group)	Allow - Main(Full).	This folder only	C:\WINDOWS\SYSTEM32\SYSVOL