

# Configuration

## 1 System: MRBSRV1

Collection: **Apr-12-2008\_14-00-21 (2008-04-12 14:00:21)**

Generated: **Tuesday, April 22, 2008 8:20:26 AM**

For: **Internal Auditor InternalAuditor@ecora.com**

By: Ecora Auditor Professional 4.5 - MS IIS Module 4.5.8063.19200

Using: Full Report (Configuration Report)

Description: The Configuration report provides detailed documentation of configuration settings for compliance audits, disaster recovery plans, security assessments, migration plans, troubleshooting, and preserving IT knowledge and decisions.

## Full Report

### Table of Contents

- 1 Hotfixes ..... 2**
- 2 MIME Types ..... 3**
- 3 Service Extensions ..... 12**
  - 3.1 Active Server Pages ..... 13
  - 3.2 All Unknown CGI Extensions ..... 13
  - 3.3 All Unknown ISAPI Extensions ..... 13
  - 3.4 ASP.NET v1.1.4322 ..... 13
  - 3.5 Internet Data Connector ..... 13
  - 3.6 Microsoft Exchange Server ..... 14
  - 3.7 Server Side Includes ..... 14
  - 3.8 WebDAV ..... 14
- 4 FTP Sites ..... 15**
- 5 Web Sites ..... 15**
  - 5.1 Default Web Site ..... 15
- 6 SMTP Virtual Servers ..... 69**
  - 6.1 Default SMTP Virtual Server ..... 70
- 7 NNTP Virtual Servers ..... 72**
  - 7.1 Default NNTP Virtual Server ..... 73
- 8 Application Pools ..... 75**

- 8.1 DefaultAppPool ..... 75
- 8.2 ExchangeApplicationPool ..... 76
- 8.3 ExchangeMobileBrowseApplicationPool ..... 78
- 9 Backups ..... 79**
- 10 Default Web Site Properties ..... 79**
- 11 Default FTP Properties ..... 85**
- 12 Default Application Pool Properties ..... 86**

## Collected Not-Collected Legend

DEFAULT	The value presented in the report was not directly reported by the target, but implied by the current value or lack of a value for the attribute
*UA*	Unavailable attribute. The current configuration or version of target platform does not provide a value for this attribute. More detail in logs
*FC*	Collection of value failed
*NS*	Value not selected for collection

## Ecora Software

This documentation of the IIS Servers from organization **Ecora Software** has been prepared at the request of **Ecora Admin** on **Apr-12-2008\_14-00-21**. This report was generated by the **Ecora Auditor Professional 4.5 - MS IIS Module** version **4.5.8063.19200**.

IIS servers for which data collection failed: **\*NULL\***

## MRBSRV1

- Server name: **MRBSRV1**.
- IIS version: **6.0**.
- Bandwidth throttling (KB/sec): **Disabled**.
- Direct Metabase edit is **disabled**.
- Encode Web logs in UTF-8 is **disabled**.
- IIS Metabase history is **enabled**.
- Maximum number of history files: **10**.
- Maximum number of error files: **10**.

Server Extensions: **\*NULL\***

## 1 Hotfixes

**\*NULL\***

\* Attributes for this topic have been suppressed \*

## 2 MIME Types

Table 1. MIME Types

Extension	MIME Type
.323	text/h323
.aaf	application/octet-stream
.aca	application/octet-stream
.accdb	application/msaccess
.accde	application/msaccess
.accdt	application/msaccess
.acx	application/internet-property-stream
.afm	application/octet-stream
.ai	application/postscript
.aif	audio/x-aiff
.aifc	audio/aiff
.aiff	audio/aiff
.art	image/x-jg
.asd	application/octet-stream
.asf	video/x-ms-asf
.asi	application/octet-stream
.asm	text/plain
.asr	video/x-ms-asf
.asx	video/x-ms-asf
.atom	application/atom+xml
.au	audio/basic
.avi	video/x-msvideo
.axs	application/olescript
.bas	text/plain
.bcpio	application/x-bcpio
.bin	application/octet-stream
.bmp	image/bmp
.c	text/plain
.cab	application/octet-stream
.cat	application/vnd.ms-pki.seccat

Extension	MIME Type
.cdf	application/x-cdf
.chm	application/octet-stream
.class	application/x-java-applet
.clp	application/x-msclip
.cmx	image/x-cmx
.cnf	text/plain
.cod	image/cis-cod
.cpio	application/x-cpio
.cpp	text/plain
.crd	application/x-mscardfile
.crl	application/pkix-crl
.crt	application/x-x509-ca-cert
.csh	application/x-csh
.css	text/css
.csv	application/octet-stream
.cur	application/octet-stream
.dcr	application/x-director
.der	application/x-x509-ca-cert
.dib	image/bmp
.dir	application/x-director
.disco	text/xml
.dll	application/x-msdownload
.dlm	text/dlm
.doc	application/msword
.docm	application/vnd.ms-word.document.macroEnabled.12
.docx	application/vnd.openxmlformats-officedocument.wordprocessingml.document
.dot	application/msword
.dotm	application/vnd.ms-word.template.macroEnabled.12
.dotx	application/vnd.openxmlformats-officedocument.wordprocessingml.template
.dsp	application/octet-stream
.dtd	text/xml
.dvi	application/x-dvi
.dwf	drawing/x-dwf

Extension	MIME Type
.dwp	application/octet-stream
.dxr	application/x-director
.eml	message/rfc822
.emz	application/octet-stream
.eot	application/octet-stream
.eps	application/postscript
.etx	text/x-setext
.evy	application/envoy
.exe	application/octet-stream
.fdf	application/vnd.fdf
.fif	application/fractals
.fla	application/octet-stream
.flr	x-world/x-vrml
.gif	image/gif
.gtar	application/x-gtar
.gz	application/x-gzip
.h	text/plain
.hdf	application/x-hdf
.hdml	text/x-hdml
.hhc	application/x-oleobject
.hhk	application/octet-stream
.hhp	application/octet-stream
.hlp	application/winhelp
.hqx	application/mac-binhex40
.hta	application/hta
.htc	text/x-component
.htm	text/html
.html	text/html
.htt	text/webviewhtml
.hxt	text/html
.ico	image/x-icon
.ics	application/octet-stream
.ief	image/ief
.iii	application/x-iphone
.inf	application/octet-stream

Extension	MIME Type
.ins	application/x-internet-signup
.isp	application/x-internet-signup
.IVF	video/x-ivf
.jar	application/java-archive
.java	application/octet-stream
.jck	application/liquidmotion
.jcz	application/liquidmotion
.jfif	image/pjpeg
.jpb	application/octet-stream
.jpe	image/jpeg
.jpeg	image/jpeg
.jpg	image/jpeg
.js	application/x-javascript
.latex	application/x-latex
.lit	application/x-ms-reader
.lpk	application/octet-stream
.lsf	video/x-la-asf
.lsx	video/x-la-asf
.lzh	application/octet-stream
.m13	application/x-msmediaview
.m14	application/x-msmediaview
.m1v	video/mpeg
.m3u	audio/x-mpegurl
.man	application/x-troff-man
.map	text/plain
.mdb	application/x-msaccess
.mdp	application/octet-stream
.me	application/x-troff-me
.mht	Multipart/Related
.mhtml	Multipart/Related
.mid	audio/mid
.midi	audio/mid
.mix	application/octet-stream
.mmf	application/x-smaf
.mno	text/xml

Extension	MIME Type
.mny	application/x-msmoney
.mov	video/quicktime
.movie	video/x-sgi-movie
.mp2	video/mpeg
.mp3	audio/mpeg
.mpa	video/mpeg
.mpe	video/mpeg
.mpeg	video/mpeg
.mpg	video/mpeg
.mpp	application/vnd.ms-project
.mpv2	video/mpeg
.ms	application/x-troff-ms
.msi	application/octet-stream
.mso	application/octet-stream
.mvb	application/x-msmediaview
.mvc	application/x-miva-compiled
.nc	application/x-netcdf
.nsc	video/x-ms-asf
.nws	message/rfc822
.ocx	application/octet-stream
.oda	application/oda
.ods	application/oleobject
.one	application/onenote
.onea	application/onenote
.onepkg	application/onenote
.onetmp	application/onenote
.onetoc	application/onenote
.onetoc2	application/onenote
.p10	application/pkcs10
.p12	application/x-pkcs12
.p7b	application/x-pkcs7-certificates
.p7c	application/pkcs7-mime
.p7m	application/pkcs7-mime
.p7r	application/x-pkcs7-certreqresp
.p7s	application/pkcs7-signature

Extension	MIME Type
.pbm	image/x-portable-bitmap
.pcx	application/octet-stream
.pcz	application/octet-stream
.pdf	application/pdf
.pfb	application/octet-stream
.pfm	application/octet-stream
.pfx	application/x-pkcs12
.pgm	image/x-portable-graymap
.pko	application/vnd.ms-pki.pko
.pma	application/x-perfmon
.pmc	application/x-perfmon
.pml	application/x-perfmon
.pmr	application/x-perfmon
.pmw	application/x-perfmon
.png	image/png
.pnm	image/x-portable-anymap
.pnz	image/png
.pot	application/vnd.ms-powerpoint
.potm	application/vnd.ms-powerpoint.template.macroEnabled.12
.potx	application/vnd.openxmlformats-officedocument.presentationml.template
.ppam	application/vnd.ms-powerpoint.addin.macroEnabled.12
.ppm	image/x-portable-pixmap
.pps	application/vnd.ms-pps
.ppsm	application/vnd.ms-powerpoint.slideshow.macroEnabled.12
.ppsx	application/vnd.openxmlformats-officedocument.presentationml.slideshow
.ppt	application/vnd.ms-powerpoint
.pptm	application/vnd.ms-powerpoint.presentation.macroEnabled.12
.pptx	application/vnd.openxmlformats-officedocument.presentationml.presentation
.prf	application/pics-rules
.prm	application/octet-stream
.prx	application/octet-stream
.ps	application/postscript

Extension	MIME Type
.psd	application/octet-stream
.psm	application/octet-stream
.psp	application/octet-stream
.pub	application/x-mspublisher
.qt	video/quicktime
.qtl	application/x-quicktimeplayer
.qxd	application/octet-stream
.ra	audio/x-pn-realaudio
.ram	audio/x-pn-realaudio
.rar	application/octet-stream
.ras	image/x-cmu-raster
.rf	image/vnd.rn-realflash
.rgb	image/x-rgb
.rm	application/vnd.rn-realmedia
.rmi	audio/mid
.roff	application/x-troff
.rpm	audio/x-pn-realaudio-plugin
.rtf	application/rtf
.rtx	text/richtext
.scd	application/x-msschedule
.sct	text/scriptlet
.sea	application/octet-stream
.setpay	application/set-payment-initiation
.setreg	application/set-registration-initiation
.sgml	text/sgml
.sh	application/x-sh
.shar	application/x-shar
.sit	application/x-stuffit
.sldm	application/vnd.ms-powerpoint.slide.macroEnabled.12
.sldx	application/vnd.openxmlformats-officedocument.presentationml.slide
.smd	audio/x-smd
.smi	application/octet-stream
.smx	audio/x-smd
.smz	audio/x-smd

Extension	MIME Type
.snd	audio/basic
.snp	application/octet-stream
.spc	application/x-pkcs7-certificates
.spl	application/futuresplash
.src	application/x-wais-source
.ssm	application/streamingmedia
.sst	application/vnd.ms-pki.certstore
.stl	application/vnd.ms-pki.stl
.sv4cpio	application/x-sv4cpio
.sv4crc	application/x-sv4crc
.swf	application/x-shockwave-flash
.t	application/x-troff
.tar	application/x-tar
.tcl	application/x-tcl
.tex	application/x-tex
.texi	application/x-texinfo
.texinfo	application/x-texinfo
.tgz	application/x-compressed
.thmx	application/vnd.ms-officetheme
.thn	application/octet-stream
.tif	image/tiff
.tiff	image/tiff
.toc	application/octet-stream
.tr	application/x-troff
.trm	application/x-msterminal
.tsv	text/tab-separated-values
.ttf	application/octet-stream
.txt	text/plain
.u32	application/octet-stream
.uls	text/iuls
.ustar	application/x-ustar
.vbs	text/vbscript
.vcf	text/x-vcard
.vcs	text/plain
.vdx	application/vnd.ms-visio.viewer

Extension	MIME Type
.vml	text/xml
.vsd	application/vnd.visio
.vss	application/vnd.visio
.vst	application/vnd.visio
.vsw	application/vnd.visio
.vsx	application/vnd.visio
.vtx	application/vnd.visio
.wav	audio/wav
.wax	audio/x-ms-wax
.wbmp	image/vnd.wap.wbmp
.wcm	application/vnd.ms-works
.wdb	application/vnd.ms-works
.wks	application/vnd.ms-works
.wm	video/x-ms-wm
.wma	audio/x-ms-wma
.wmd	application/x-ms-wmd
.wmf	application/x-msmetafile
.wml	text/vnd.wap.wml
.wmlc	application/vnd.wap.wmlc
.wmls	text/vnd.wap.wmlscript
.wmlsc	application/vnd.wap.wmlscriptc
.wmp	video/x-ms-wmp
.wmv	video/x-ms-wmv
.wmx	video/x-ms-wmx
.wmz	application/x-ms-wmz
.wps	application/vnd.ms-works
.wri	application/x-mswrite
.wrl	x-world/x-vrml
.wrz	x-world/x-vrml
.wsdl	text/xml
.wvx	video/x-ms-wvx
.x	application/directx
.xaf	x-world/x-vrml
.xbm	image/x-xbitmap
.xdr	text/plain

Extension	MIME Type
.xla	application/vnd.ms-excel
.xlam	application/vnd.ms-excel.addin.macroEnabled.12
.xlc	application/vnd.ms-excel
.xlm	application/vnd.ms-excel
.xls	application/vnd.ms-excel
.xlsb	application/vnd.ms-excel.sheet.binary.macroEnabled.12
.xlsm	application/vnd.ms-excel.sheet.macroEnabled.12
.xlsx	application/vnd.openxmlformats-officedocument.spreadsheetml.sheet
.xlt	application/vnd.ms-excel
.xltn	application/vnd.ms-excel.template.macroEnabled.12
.xltx	application/vnd.openxmlformats-officedocument.spreadsheetml.template
.xlw	application/vnd.ms-excel
.xml	text/xml
.xof	x-world/x-vrml
.xpm	image/x-xpixmap
.xsd	text/xml
.xsf	text/xml
.xsl	text/xml
.xslt	text/xml
.xsn	application/octet-stream
.xtp	application/octet-stream
.xwd	image/x-xwindowdump
.z	application/x-compress
.zip	application/x-zip-compressed

### 3 Service Extensions

Table 2. Service Extensions

Description	Status
Active Server Pages	Allowed
All Unknown CGI Extensions	Prohibited
All Unknown ISAPI Extensions	Prohibited
ASP.NET v1.1.4322	Allowed

Description	Status
Internet Data Connector	Prohibited
Microsoft Exchange Server	Allowed
Server Side Includes	Prohibited
WebDAV	Prohibited

### 3.1 Active Server Pages

- Web Service Extension: **Active Server Pages**
- Status: **Allowed**

Table 3. Required Files

File Name	Status
C:\WINDOWS\system32\inetsrv\asp.dll	Allowed

### 3.2 All Unknown CGI Extensions

- Web Service Extension: **All Unknown CGI Extensions**
- Status: **Prohibited**

Files: **\*NULL\***

### 3.3 All Unknown ISAPI Extensions

- Web Service Extension: **All Unknown ISAPI Extensions**
- Status: **Prohibited**

Files: **\*NULL\***

### 3.4 ASP.NET v1.1.4322

- Web Service Extension: **ASP.NET v1.1.4322**
- Status: **Allowed**

Table 4. Required Files

File Name	Status
C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	Allowed

### 3.5 Internet Data Connector

- Web Service Extension: **Internet Data Connector**

- Status: **Prohibited**

Table 5. Required Files

File Name	Status
C:\WINDOWS\system32\inetsrv\httpodbc.dll	Prohibited

### 3.6 Microsoft Exchange Server

- Web Service Extension: **Microsoft Exchange Server**
- Status: **Allowed**

Table 6. Required Files

File Name	Status
C:\Program Files\Exchsrvr\bin\davex.dll	Allowed
C:\Program Files\Exchsrvr\bin\exprox.dll	Allowed
C:\Program Files\Exchsrvr\bin\MasSync.dll	Allowed
C:\Program Files\Exchsrvr\exchweb\bin\exwform.dll	Allowed
C:\Program Files\Exchsrvr\exchweb\bin\spell\owaspell.dll	Allowed
C:\Program Files\Exchsrvr\exchweb\bin\auth\owaauth.dll	Allowed

### 3.7 Server Side Includes

- Web Service Extension: **Server Side Includes**
- Status: **Prohibited**

Table 7. Required Files

File Name	Status
C:\WINDOWS\system32\inetsrv\ssinc.dll	Prohibited

### 3.8 WebDAV

- Web Service Extension: **WebDAV**
- Status: **Prohibited**

Table 8. Required Files

File Name	Status
C:\WINDOWS\system32\inetsrv\httpext.dll	Prohibited

## 4 FTP Sites

**\*NULL\***

\* Attributes for this topic have been suppressed \*

## 5 Web Sites

Table 9. Web Sites

Description	Identifier	Status
Default Web Site	1	Running

### 5.1 Default Web Site

- Server description: **Default Web Site.**
- Server state: **Running.**

Secure IP Addresses and ports in use: **\*NULL\***

#### Secure Communications

- SSL secure channel **is not** required.
- 128-bit encryption **is not** required.
- Client certificates: **Ignore** client certificates.
- Client certificate mapping to Windows user accounts is **disabled.**
- Certificate Trust List is **disabled**, current CTL: **\*NULL\***.

#### Directory Access

- Script source access: **disabled.**
- Read Access: **enabled.**
- Write Access: **disabled.**
- Directory Browsing: **disabled.**
- Log visits: **enabled.**
- Index this resource: **enabled.**

#### Application Settings

- Name: **Default Application**
- Execute Permissions: **Scripts only.**
- Application Pool: **DefaultAppPool**

## Application Mapping

- The caching of ISAPI applications is **enabled**.

Table 10. Script Maps

Extension	Executable Path	Verbs
.asa	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.asax	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ascx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ashx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asmx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asp	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.aspx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.axd	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cdx	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.cer	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.config	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cs	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.csproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.idc	C:\WINDOWS\system32\inetsrv\httpodbc.dll	GET,POST
.licx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.rem	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resources	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Extension	Executable Path	Verbs
.resx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.shtm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.shtml	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.soap	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.stm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.vb	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vbproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vsdisco	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.webinfo	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Wildcard Application Maps: **\*NULL\***

### Application Options

- Application Protection: **Medium (Pooled)**.
- The Session State is **enabled** with a session timeout of **20** minutes.
- Buffering is **enabled**.
- Parent paths are **disabled**.
- The default ASP Language is **VBScript**.
- The ASP Script Timeout is **90** seconds.
- Side by Side assemblies: **disabled**
- Manifest file name: **disabled**

### Application Process Options

- Writing unsuccessful requests is **enabled**.
- Debugging exception catching is **enabled**.
- The CGI Script Timeout is **300** seconds.

### ASP File Cache

- Max ASP files cached in memory: **500**.
- Max ASP files cached on disk: **2000**.

- Disc Cache directory: **%windir%\system32\inetsrv\ASP Compiled Templates.**
- The number of Script Engines cached: **250.**

### Application Debugging

- Server-side ASP Script Debugging is **disabled.**
- Client-side ASP Script Debugging is **disabled.**
- **Detailed ASP error messages** are sent to the client.

### Documents

- Default Documents are **enabled**  
Default Documents
  - A. Default.htm
  - B. Default.asp
  - C. index.htm
  - D. iisstart.htm
  - E. Default.aspx
- Document Footer is **disabled.**

### Authentication

- Anonymous is **enabled.**
  - Anonymous user name is **IUSR\_MRBSRV1.**
  - Allow IIS to control password is **enabled.**
- Basic authentication is **disabled.**
- Integrated windows authentication is **disabled.**
- Digest authentication is **disabled.**
- NET Passport authentication is disabled.
- Default Domain: not defined.
- Realm: not defined.

### IP Address and Domain Name Restrictions

- All computers will be **granted** access

### HTTP Headers

- Content Expiration: **Expire after 1 Day(s).**

Table 11. Custom Headers

Header Name	Header Value
X-Powered-By	ASP.NET

## Content Ratings

Directory Rating: **\*NULL\***

Mime Types: **\*NULL\***

Table 12. Custom Errors

Error Number	Error Subnumber	Type	Value
400	<b>*NULL*</b>	FILE	C:\WINDOWS\help\iisHelp\common\400.htm
401	1	FILE	C:\WINDOWS\help\iisHelp\common\401-1.htm
401	2	FILE	C:\WINDOWS\help\iisHelp\common\401-2.htm
401	3	FILE	C:\WINDOWS\help\iisHelp\common\401-3.htm
401	4	FILE	C:\WINDOWS\help\iisHelp\common\401-4.htm
401	5	FILE	C:\WINDOWS\help\iisHelp\common\401-5.htm
401	7	FILE	C:\WINDOWS\help\iisHelp\common\401-1.htm
403	1	FILE	C:\WINDOWS\help\iisHelp\common\403-1.htm
403	2	FILE	C:\WINDOWS\help\iisHelp\common\403-2.htm
403	3	FILE	C:\WINDOWS\help\iisHelp\common\403-3.htm
403	4	FILE	C:\WINDOWS\help\iisHelp\common\403-4.htm
403	5	FILE	C:\WINDOWS\help\iisHelp\common\403-5.htm
403	6	FILE	C:\WINDOWS\help\iisHelp\common\403-6.htm
403	7	FILE	C:\WINDOWS\help\iisHelp\common\403-7.htm
403	8	FILE	C:\WINDOWS\help\iisHelp\common\403-8.htm
403	9	FILE	C:\WINDOWS\help\iisHelp\common\403-9.htm
403	10	FILE	C:\WINDOWS\help\iisHelp\common\403-10.htm
403	11	FILE	C:\WINDOWS\help\iisHelp\common\403-11.htm
403	12	FILE	C:\WINDOWS\help\iisHelp\common\403-12.htm
403	13	FILE	C:\WINDOWS\help\iisHelp\common\403-13.htm
403	14	Default	"Forbidden - Directory Listing Denied"
403	15	FILE	C:\WINDOWS\help\iisHelp\common\403-15.htm
403	16	FILE	C:\WINDOWS\help\iisHelp\common\403-16.htm
403	17	FILE	C:\WINDOWS\help\iisHelp\common\403-17.htm
403	18	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	19	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	20	FILE	C:\WINDOWS\help\iisHelp\common\403-20.htm
404	<b>*NULL*</b>	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm

Error Number	Error Subnumber	Type	Value
404	2	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	3	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
405	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\405.htm
406	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\406.htm
407	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\407.htm
412	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\412.htm
414	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\414.htm
415	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\415.htm
500	*NULL*	Default	"Internal Server Error"
500	12	FILE	C:\WINDOWS\help\iisHelp\common\500-12.htm
500	13	FILE	C:\WINDOWS\help\iisHelp\common\500-13.htm
500	15	FILE	C:\WINDOWS\help\iisHelp\common\500-15.htm
500	16	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	17	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	18	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	19	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	100	Default	"Internal Server Error - ASP error"
501	*NULL*	Default	"Not Implemented"
502	*NULL*	Default	"Bad Gateway"

### ASP .NET

- ASP .NET version: **1.1.4322.**

### BITS Server Extension

BITS Server Extension: **\*NULL\***

### Connections

- Maximum simultaneous connections: **Unlimited.**
- Connection timeout is **120** seconds.

Table 13. Server Bindings

IP Address	TCP Port	Host Header Name
(All Unassigned)	80	

- HTTP Keep-Alives are **enabled.**

## Logging

- Logging is **enabled**.
    - Active log format: **W3C Extended Log File Format**.
    - ODBC Logging Properties: **\*NULL\***
    - New log time period: **Daily**, file size: **\*NULL\*** MB
    - Log file directory: **C:\WINDOWS\system32\LogFiles**.
    - Local date **is not** used for Log naming and rollover.
    - Extended Logging Options
      - Both date and time will be displayed for the following:
        - Client IP Address
        - User Name
        - Service Name
        - Server IP Address
        - Server Port
        - Method
        - URI Stem
        - URI Query
        - Protocol Status
        - Protocol Substatus
        - Win32 Status
        - User Agent
        - Active Processes
        - Event Logging
        - Kernel CPU Time
        - Process Logging
        - Page Faults
        - Process Type
        - Process Terminating
        - Process Total
        - User CPU Time
  - Performance tuning is set for **fewer than 100,000** hits per day.
- ISAPI Filters: **\*NULL\***

## Operators

1. NT AUTHORITY\LOCAL SERVICE
2. NT AUTHORITY\NETWORK SERVICE
3. MRBSRV1\IIS\_WPG
4. BUILTIN\Administrators

Server Extensions: **\*NULL\***

### 5.1.1 ROOT

- Virtual Directory name: **ROOT**
- Path: **c:\inetpub\wwwroot.**

Table 14. Security Permissions

Account	Full	Modify	Exec	List	Read	Write	Spec.
Administrators	A+	A+	A+	A+	A+	A+	
IIS_WPG			A+	A+	A+		
MRBSRV1\IUSR_MRBSRV1						D+	X
SYSTEM	A+	A+	A+	A+	A+	A+	
Users			A+	A+	A+		

A = Allow D = Deny, + = Permission is not inherited

#### Directory Access

- Script source access: **disabled.**
- Read Access: **enabled.**
- Write Access: **disabled.**
- Directory Browsing: **disabled.**
- Log visits: **enabled.**
- Index this resource: **enabled.**

#### Application Settings

- Name: **Default Application**
- Execute Permissions: **Scripts only.**
- Application Pool: **DefaultAppPool**

#### Application Mapping

- The caching of ISAPI applications is **enabled.**

Table 15. Script Maps

Extension	Executable Path	Verbs
.asa	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.asax	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ascx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Extension	Executable Path	Verbs
.ashx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asmx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asp	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.aspx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.axd	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cdx	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.cer	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.config	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cs	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.csproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.idc	C:\WINDOWS\system32\inetsrv\httpodbc.dll	GET,POST
.licx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.rem	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resources	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.shtm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.shtml	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.soap	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.stm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST

Extension	Executable Path	Verbs
.vb	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vbproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vsdisco	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.webinfo	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Wildcard Application Maps: **\*NULL\***

### Application Options

- Application Protection: **Medium (Pooled)**.
- The Session State is **enabled** with a session timeout of **20** minutes.
- Buffering is **enabled**.
- Parent paths are **disabled**.
- The default ASP Language is **VBScript**.
- The ASP Script Timeout is **90** seconds.
- Side by Side assemblies: **disabled**
- Manifest file name: **disabled**

### ASP File Cache

- Max ASP files cached in memory: **500**.
- Max ASP files cached on disk: **2000**.
- Disc Cache directory: **%windir%\system32\inetsrv\ASP Compiled Templates**.
- The number of Script Engines cached: **250**.

### Application Debugging

- Server-side ASP Script Debugging is **disabled**.
- Client-side ASP Script Debugging is **disabled**.
- **Detailed ASP error messages** are sent to the client.

### Documents

- Default Documents are **enabled**
  - Default Documents
    - A. Default.htm
    - B. Default.asp
    - C. index.htm
    - D. iisstart.htm

- E. Default.aspx
  - Document Footer is **disabled**.

### Authentication

- Anonymous is **enabled**.
  - Anonymous user name is **IUSR\_MRBSRV1**.
  - Allow IIS to control password is **enabled**.
- Basic authentication is **disabled**.
- Integrated windows authentication is **disabled**.
- Digest authentication is **disabled**.
- NET Passport authentication is disabled.
- Default Domain: not defined.
- Realm: not defined.

### IP Address and Domain Name Restrictions

- All computers will be **granted** access

### HTTP Headers

- Content Expiration: **Expire after 1 Day(s)**.

Table 16. Custom Headers

Header Name	Header Value
X-Powered-By	ASP.NET

### Content Ratings

Directory Rating: **\*NULL\***

Mime Types: **\*NULL\***

Table 17. Custom Errors

Error Number	Error Subnumber	Type	Value
400	<b>*NULL*</b>	FILE	C:\WINDOWS\help\iisHelp\common\400.htm
401	1	FILE	C:\WINDOWS\help\iisHelp\common\401-1.htm
401	2	FILE	C:\WINDOWS\help\iisHelp\common\401-2.htm
401	3	FILE	C:\WINDOWS\help\iisHelp\common\401-3.htm
401	4	FILE	C:\WINDOWS\help\iisHelp\common\401-4.htm
401	5	FILE	C:\WINDOWS\help\iisHelp\common\401-5.htm
401	7	FILE	C:\WINDOWS\help\iisHelp\common\401-1.htm

Error Number	Error Subnumber	Type	Value
403	1	FILE	C:\WINDOWS\help\iisHelp\common\403-1.htm
403	2	FILE	C:\WINDOWS\help\iisHelp\common\403-2.htm
403	3	FILE	C:\WINDOWS\help\iisHelp\common\403-3.htm
403	4	FILE	C:\WINDOWS\help\iisHelp\common\403-4.htm
403	5	FILE	C:\WINDOWS\help\iisHelp\common\403-5.htm
403	6	FILE	C:\WINDOWS\help\iisHelp\common\403-6.htm
403	7	FILE	C:\WINDOWS\help\iisHelp\common\403-7.htm
403	8	FILE	C:\WINDOWS\help\iisHelp\common\403-8.htm
403	9	FILE	C:\WINDOWS\help\iisHelp\common\403-9.htm
403	10	FILE	C:\WINDOWS\help\iisHelp\common\403-10.htm
403	11	FILE	C:\WINDOWS\help\iisHelp\common\403-11.htm
403	12	FILE	C:\WINDOWS\help\iisHelp\common\403-12.htm
403	13	FILE	C:\WINDOWS\help\iisHelp\common\403-13.htm
403	14	Default	"Forbidden - Directory Listing Denied"
403	15	FILE	C:\WINDOWS\help\iisHelp\common\403-15.htm
403	16	FILE	C:\WINDOWS\help\iisHelp\common\403-16.htm
403	17	FILE	C:\WINDOWS\help\iisHelp\common\403-17.htm
403	18	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	19	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	20	FILE	C:\WINDOWS\help\iisHelp\common\403-20.htm
404	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	2	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	3	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
405	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\405.htm
406	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\406.htm
407	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\407.htm
412	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\412.htm
414	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\414.htm
415	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\415.htm
500	*NULL*	Default	"Internal Server Error"
500	12	FILE	C:\WINDOWS\help\iisHelp\common\500-12.htm
500	13	FILE	C:\WINDOWS\help\iisHelp\common\500-13.htm
500	15	FILE	C:\WINDOWS\help\iisHelp\common\500-15.htm
500	16	FILE	C:\WINDOWS\help\iisHelp\common\500.htm

Error Number	Error Subnumber	Type	Value
500	17	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	18	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	19	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	100	Default	"Internal Server Error - ASP error"
501	*NULL*	Default	"Not Implemented"
502	*NULL*	Default	"Bad Gateway"

Physical Directory List: **\*NULL\***

### BITS Server Extension

BITS Server Extension: **\*NULL\***

### Exadmin

- Virtual Directory name: **Exadmin**
- Path: **\\.\BackOfficeStorage.**

Directory Security Permissions: **\*NULL\***

### Application Mapping

Table 18. Script Maps

Extension	Executable Path	Verbs
*	C:\Program Files\Exchsrvr\bin\davex.dll	All
.asa	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.asax	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ascx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ashx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asmx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asp	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE

Extension	Executable Path	Verbs
.aspx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.axd	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cdx	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.cer	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.config	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cs	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.csproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.idc	C:\WINDOWS\system32\inetsrv\httpodbc.dll	GET,POST
.licx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.rem	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resources	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.shtm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.shtml	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.soap	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.stm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.vb	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vbproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vsdisco	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Extension	Executable Path	Verbs
.webinfo	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Wildcard Application Maps: **\*NULL\***

### Application Options

- The Session State is **enabled** with a session timeout of minutes.

### ASP File Cache

- Max ASP files cached on disk: **2000**.

### Application Debugging

- **Detailed ASP error messages** are sent to the client.

### Documents

- Default Documents are **enabled**
- Document Footer is **disabled**.

### Authentication

- Anonymous is **disabled**.

### IP Address and Domain Name Restrictions

### HTTP Headers

Table 19. Custom Headers

Header Name	Header Value
X-Powered-By	ASP.NET

### Content Ratings

Directory Rating: **\*NULL\***

Mime Types: **\*NULL\***

Table 20. Custom Errors

Error Number	Error Subnumber	Type	Value
400	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\400.htm
401	1	Default	"Unauthorized - Logon failed"
401	2	Default	"Unauthorized - Logon failed due to server configuration"
401	3	Default	"Unauthorized - Unauthorized due to ACL on resource"
401	4	Default	"Unauthorized - Authorization failed by filter"
401	5	Default	"Unauthorized - Authorization failed by ISAPI/CGI app"
401	7	Default	"Unauthorized - Denied due to URL Authorization policy"
403	1	FILE	C:\WINDOWS\help\iisHelp\common\403-1.htm
403	2	FILE	C:\WINDOWS\help\iisHelp\common\403-2.htm
403	3	FILE	C:\WINDOWS\help\iisHelp\common\403-3.htm
403	4	FILE	C:\WINDOWS\help\iisHelp\common\403-4.htm
403	5	FILE	C:\WINDOWS\help\iisHelp\common\403-5.htm
403	6	FILE	C:\WINDOWS\help\iisHelp\common\403-6.htm
403	7	FILE	C:\WINDOWS\help\iisHelp\common\403-7.htm
403	8	FILE	C:\WINDOWS\help\iisHelp\common\403-8.htm
403	9	FILE	C:\WINDOWS\help\iisHelp\common\403-9.htm
403	10	FILE	C:\WINDOWS\help\iisHelp\common\403-10.htm
403	11	FILE	C:\WINDOWS\help\iisHelp\common\403-11.htm
403	12	FILE	C:\WINDOWS\help\iisHelp\common\403-12.htm
403	13	FILE	C:\WINDOWS\help\iisHelp\common\403-13.htm
403	14	Default	"Forbidden - Directory Listing Denied"
403	15	FILE	C:\WINDOWS\help\iisHelp\common\403-15.htm
403	16	FILE	C:\WINDOWS\help\iisHelp\common\403-16.htm
403	17	FILE	C:\WINDOWS\help\iisHelp\common\403-17.htm
403	18	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	19	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	20	FILE	C:\WINDOWS\help\iisHelp\common\403-20.htm
404	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	2	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	3	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
405	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\405.htm
406	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\406.htm

Error Number	Error Subnumber	Type	Value
407	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\407.htm
412	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\412.htm
414	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\414.htm
415	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\415.htm
500	*NULL*	Default	"Internal Server Error"
500	12	FILE	C:\WINDOWS\help\iisHelp\common\500-12.htm
500	13	FILE	C:\WINDOWS\help\iisHelp\common\500-13.htm
500	15	FILE	C:\WINDOWS\help\iisHelp\common\500-15.htm
500	16	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	17	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	18	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	19	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	100	Default	"Internal Server Error - ASP error"
501	*NULL*	Default	"Not Implemented"
502	*NULL*	Default	"Bad Gateway"

Virtual Directory List: \*NULL\*

Web Directory List: \*NULL\*

Physical Directory List: \*NULL\*

### BITS Server Extension

BITS Server Extension: \*NULL\*

### Exchange

- Virtual Directory name: **Exchange**
- Path: \\.\BackOfficeStorage\Ecorademo.com\MBX.

Directory Security Permissions: \*NULL\*

### Application Mapping

Table 21. Script Maps

Extension	Executable Path	Verbs
*	C:\Program Files\Exchsrvr\bin\davex.dll	All

Extension	Executable Path	Verbs
.asa	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.asax	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ascx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ashx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asmx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asp	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.aspx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.axd	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cdx	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.cer	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.config	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cs	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.csproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.idc	C:\WINDOWS\system32\inetsrv\httpodbc.dll	GET,POST
.licx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.rem	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resources	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.shtm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST

Extension	Executable Path	Verbs
.shtml	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.soap	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.stm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.vb	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vbproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vsdisco	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.webinfo	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Wildcard Application Maps: **\*NULL\***

### Application Options

- The Session State is **enabled** with a session timeout of minutes.

### ASP File Cache

- Max ASP files cached on disk: **2000**.

### Application Debugging

- Detailed ASP error messages** are sent to the client.

### Documents

- Default Documents are **enabled**
- Document Footer is **disabled**.

### Authentication

- Anonymous is **disabled**.

### IP Address and Domain Name Restrictions

### HTTP Headers

Table 22. Custom Headers

Header Name	Header Value
X-Powered-By	ASP.NET

### Content Ratings

Directory Rating: **\*NULL\***

Mime Types: **\*NULL\***

Table 23. Custom Errors

Error Number	Error Subnumber	Type	Value
400	<b>*NULL*</b>	FILE	C:\WINDOWS\help\iisHelp\common\400.htm
401	1	Default	"Unauthorized - Logon failed"
401	2	Default	"Unauthorized - Logon failed due to server configuration"
401	3	Default	"Unauthorized - Unauthorized due to ACL on resource"
401	4	Default	"Unauthorized - Authorization failed by filter"
401	5	Default	"Unauthorized - Authorization failed by ISAPI/CGI app"
401	7	Default	"Unauthorized - Denied due to URL Authorization policy"
403	1	FILE	C:\WINDOWS\help\iisHelp\common\403-1.htm
403	2	FILE	C:\WINDOWS\help\iisHelp\common\403-2.htm
403	3	FILE	C:\WINDOWS\help\iisHelp\common\403-3.htm
403	4	FILE	C:\WINDOWS\help\iisHelp\common\403-4.htm
403	5	FILE	C:\WINDOWS\help\iisHelp\common\403-5.htm
403	6	FILE	C:\WINDOWS\help\iisHelp\common\403-6.htm
403	7	FILE	C:\WINDOWS\help\iisHelp\common\403-7.htm
403	8	FILE	C:\WINDOWS\help\iisHelp\common\403-8.htm
403	9	FILE	C:\WINDOWS\help\iisHelp\common\403-9.htm
403	10	FILE	C:\WINDOWS\help\iisHelp\common\403-10.htm
403	11	FILE	C:\WINDOWS\help\iisHelp\common\403-11.htm
403	12	FILE	C:\WINDOWS\help\iisHelp\common\403-12.htm
403	13	FILE	C:\WINDOWS\help\iisHelp\common\403-13.htm
403	14	Default	"Forbidden - Directory Listing Denied"
403	15	FILE	C:\WINDOWS\help\iisHelp\common\403-15.htm
403	16	FILE	C:\WINDOWS\help\iisHelp\common\403-16.htm
403	17	FILE	C:\WINDOWS\help\iisHelp\common\403-17.htm

Error Number	Error Subnumber	Type	Value
403	18	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	19	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	20	FILE	C:\WINDOWS\help\iisHelp\common\403-20.htm
404	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	2	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	3	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
405	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\405.htm
406	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\406.htm
407	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\407.htm
412	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\412.htm
414	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\414.htm
415	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\415.htm
500	*NULL*	Default	"Internal Server Error"
500	12	FILE	C:\WINDOWS\help\iisHelp\common\500-12.htm
500	13	FILE	C:\WINDOWS\help\iisHelp\common\500-13.htm
500	15	FILE	C:\WINDOWS\help\iisHelp\common\500-15.htm
500	16	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	17	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	18	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	19	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	100	Default	"Internal Server Error - ASP error"
501	*NULL*	Default	"Not Implemented"
502	*NULL*	Default	"Bad Gateway"

Virtual Directory List: \*NULL\*

Web Directory List: \*NULL\*

Physical Directory List: \*NULL\*

## BITS Server Extension

BITS Server Extension: \*NULL\*

## ExchWeb

- Virtual Directory name: **ExchWeb**
- Path: **C:\Program Files\Exchsrvr\ExchWeb.**

Table 24. Security Permissions

Account	Full	Modify	Exec	List	Read	Write	Spec.
Administrators							X
Authenticated Users					A+		
CREATOR OWNER							X
Power Users							X
SYSTEM							X
TERMINAL SERVER USER							X
Users							X

A = Allow D = Deny, + = Permission is not inherited

### Application Mapping

Table 25. Script Maps

Extension	Executable Path	Verbs
.asa	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.asax	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ascx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ashx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asmx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asp	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.aspx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.axd	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cdx	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.cer	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.config	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Extension	Executable Path	Verbs
.cs	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.csproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.idc	C:\WINDOWS\system32\inetsrv\httpodbc.dll	GET,POST
.licx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.rem	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resources	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.shtm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.shtml	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.soap	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.stm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.vb	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vbproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vsdisco	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.webinfo	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Wildcard Application Maps: **\*NULL\***

### Application Options

- The Session State is **enabled** with a session timeout of minutes.

### ASP File Cache

- Max ASP files cached on disk: **2000**.

### Application Debugging

- **Detailed ASP error messages** are sent to the client.

### Documents

- Default Documents are **enabled**
- Document Footer is **disabled**.

### Authentication

- Anonymous is **enabled**.

### IP Address and Domain Name Restrictions

### HTTP Headers

Table 26. Custom Headers

Header Name	Header Value
X-Powered-By	ASP.NET

### Content Ratings

Directory Rating: **\*NULL\***

Mime Types: **\*NULL\***

Table 27. Custom Errors

Error Number	Error Subnumber	Type	Value
400	<b>*NULL*</b>	FILE	C:\WINDOWS\help\iisHelp\common\400.htm
401	1	Default	"Unauthorized - Logon failed"
401	2	Default	"Unauthorized - Logon failed due to server configuration"
401	3	Default	"Unauthorized - Unauthorized due to ACL on resource"
401	4	Default	"Unauthorized - Authorization failed by filter"
401	5	Default	"Unauthorized - Authorization failed by ISAPI/CGI app"
401	7	Default	"Unauthorized - Denied due to URL Authorization policy"
403	1	FILE	C:\WINDOWS\help\iisHelp\common\403-1.htm
403	2	FILE	C:\WINDOWS\help\iisHelp\common\403-2.htm
403	3	FILE	C:\WINDOWS\help\iisHelp\common\403-3.htm

Error Number	Error Subnumber	Type	Value
403	4	FILE	C:\WINDOWS\help\iisHelp\common\403-4.htm
403	5	FILE	C:\WINDOWS\help\iisHelp\common\403-5.htm
403	6	FILE	C:\WINDOWS\help\iisHelp\common\403-6.htm
403	7	FILE	C:\WINDOWS\help\iisHelp\common\403-7.htm
403	8	FILE	C:\WINDOWS\help\iisHelp\common\403-8.htm
403	9	FILE	C:\WINDOWS\help\iisHelp\common\403-9.htm
403	10	FILE	C:\WINDOWS\help\iisHelp\common\403-10.htm
403	11	FILE	C:\WINDOWS\help\iisHelp\common\403-11.htm
403	12	FILE	C:\WINDOWS\help\iisHelp\common\403-12.htm
403	13	FILE	C:\WINDOWS\help\iisHelp\common\403-13.htm
403	14	Default	"Forbidden - Directory Listing Denied"
403	15	FILE	C:\WINDOWS\help\iisHelp\common\403-15.htm
403	16	FILE	C:\WINDOWS\help\iisHelp\common\403-16.htm
403	17	FILE	C:\WINDOWS\help\iisHelp\common\403-17.htm
403	18	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	19	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	20	FILE	C:\WINDOWS\help\iisHelp\common\403-20.htm
404	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	2	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	3	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
405	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\405.htm
406	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\406.htm
407	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\407.htm
412	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\412.htm
414	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\414.htm
415	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\415.htm
500	*NULL*	Default	"Internal Server Error"
500	12	FILE	C:\WINDOWS\help\iisHelp\common\500-12.htm
500	13	FILE	C:\WINDOWS\help\iisHelp\common\500-13.htm
500	15	FILE	C:\WINDOWS\help\iisHelp\common\500-15.htm
500	16	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	17	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	18	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	19	FILE	C:\WINDOWS\help\iisHelp\common\500.htm

Error Number	Error Subnumber	Type	Value
500	100	Default	"Internal Server Error - ASP error"
501	*NULL*	Default	"Not Implemented"
502	*NULL*	Default	"Bad Gateway"

Web Directory List: **\*NULL\***

### BITS Server Extension

BITS Server Extension: **\*NULL\***

### bin

- Virtual Directory name: **bin**
- Path: **C:\Program Files\Exchsrvr\ExchWeb\bin.**

Table 28. Security Permissions

Account	Full	Modify	Exec	List	Read	Write	Spec.
Administrators							X
Authenticated Users			A+	A+	A+		
CREATOR OWNER							X
Power Users							X
SYSTEM							X
TERMINAL SERVER USER							X
Users							X

A = Allow D = Deny, + = Permission is not inherited

### Application Mapping

Table 29. Script Maps

Extension	Executable Path	Verbs
.asa	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.asax	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ascx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Extension	Executable Path	Verbs
.ashx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asmx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asp	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.aspx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.axd	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cdx	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.cer	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.config	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cs	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.csproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.idc	C:\WINDOWS\system32\inetsrv\httpodbc.dll	GET,POST
.licx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.rem	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resources	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.shtm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.shtml	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.soap	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.stm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST

Extension	Executable Path	Verbs
.vb	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vbproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vsdisco	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.webinfo	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Wildcard Application Maps: **\*NULL\***

### Application Options

- The Session State is **enabled** with a session timeout of minutes.

### ASP File Cache

- Max ASP files cached on disk: **2000**.

### Application Debugging

- **Detailed ASP error messages** are sent to the client.

### Documents

- Default Documents are **enabled**
- Document Footer is **disabled**.

### Authentication

- Anonymous is **disabled**.

### IP Address and Domain Name Restrictions

### HTTP Headers

Table 30. Custom Headers

Header Name	Header Value
X-Powered-By	ASP.NET

### Content Ratings

Directory Rating: **\*NULL\***

Mime Types: **\*NULL\***

Table 31. Custom Errors

Error Number	Error Subnumber	Type	Value
400	<b>*NULL*</b>	FILE	C:\WINDOWS\help\iisHelp\common\400.htm
401	1	Default	"Unauthorized - Logon failed"
401	2	Default	"Unauthorized - Logon failed due to server configuration"
401	3	Default	"Unauthorized - Unauthorized due to ACL on resource"
401	4	Default	"Unauthorized - Authorization failed by filter"
401	5	Default	"Unauthorized - Authorization failed by ISAPI/CGI app"
401	7	Default	"Unauthorized - Denied due to URL Authorization policy"
403	1	FILE	C:\WINDOWS\help\iisHelp\common\403-1.htm
403	2	FILE	C:\WINDOWS\help\iisHelp\common\403-2.htm
403	3	FILE	C:\WINDOWS\help\iisHelp\common\403-3.htm
403	4	FILE	C:\WINDOWS\help\iisHelp\common\403-4.htm
403	5	FILE	C:\WINDOWS\help\iisHelp\common\403-5.htm
403	6	FILE	C:\WINDOWS\help\iisHelp\common\403-6.htm
403	7	FILE	C:\WINDOWS\help\iisHelp\common\403-7.htm
403	8	FILE	C:\WINDOWS\help\iisHelp\common\403-8.htm
403	9	FILE	C:\WINDOWS\help\iisHelp\common\403-9.htm
403	10	FILE	C:\WINDOWS\help\iisHelp\common\403-10.htm
403	11	FILE	C:\WINDOWS\help\iisHelp\common\403-11.htm
403	12	FILE	C:\WINDOWS\help\iisHelp\common\403-12.htm
403	13	FILE	C:\WINDOWS\help\iisHelp\common\403-13.htm
403	14	Default	"Forbidden - Directory Listing Denied"
403	15	FILE	C:\WINDOWS\help\iisHelp\common\403-15.htm
403	16	FILE	C:\WINDOWS\help\iisHelp\common\403-16.htm
403	17	FILE	C:\WINDOWS\help\iisHelp\common\403-17.htm
403	18	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	19	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	20	FILE	C:\WINDOWS\help\iisHelp\common\403-20.htm
404	<b>*NULL*</b>	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm

Error Number	Error Subnumber	Type	Value
404	2	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	3	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
405	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\405.htm
406	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\406.htm
407	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\407.htm
412	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\412.htm
414	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\414.htm
415	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\415.htm
500	*NULL*	Default	"Internal Server Error"
500	12	FILE	C:\WINDOWS\help\iisHelp\common\500-12.htm
500	13	FILE	C:\WINDOWS\help\iisHelp\common\500-13.htm
500	15	FILE	C:\WINDOWS\help\iisHelp\common\500-15.htm
500	16	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	17	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	18	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	19	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	100	Default	"Internal Server Error - ASP error"
501	*NULL*	Default	"Not Implemented"
502	*NULL*	Default	"Bad Gateway"

Virtual Directory List: \*NULL\*

Web Directory List: \*NULL\*

### BITS Server Extension

BITS Server Extension: \*NULL\*

bin > ara

- Physical directory name: **ara**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: \*NULL\*

## bin &gt; auth

- Physical directory name: **auth**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; bas

- Physical directory name: **bas**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; brz

- Physical directory name: **brz**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; cat

- Physical directory name: **cat**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; chs

- Physical directory name: **chs**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

bin > cht

- Physical directory name: **cht**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

bin > cze

- Physical directory name: **cze**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

bin > dan

- Physical directory name: **dan**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

bin > dut

- Physical directory name: **dut**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; fin

- Physical directory name: **fin**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; frn

- Physical directory name: **frn**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; ger

- Physical directory name: **ger**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; grk

- Physical directory name: **grk**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; heb

- Physical directory name: **heb**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

bin > hun

- Physical directory name: **hun**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

bin > itn

- Physical directory name: **itn**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

bin > jpn

- Physical directory name: **jpn**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

bin > kor

- Physical directory name: **kor**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; nor

- Physical directory name: **nor**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; pol

- Physical directory name: **pol**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; por

- Physical directory name: **por**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; rus

- Physical directory name: **rus**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## bin &gt; spa

- Physical directory name: **spa**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

bin > swe

- Physical directory name: **swe**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

bin > trk

- Physical directory name: **trk**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

bin > usa

- Physical directory name: **usa**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

6.5.6944.0

- Physical directory name: **6.5.6944.0**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## 6.5.7638.1

- Physical directory name: **6.5.7638.1**.
- Creation time: **Monday, March 03, 2008 12:21:57 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## controls

- Physical directory name: **controls**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## help

- Physical directory name: **help**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## img

- Physical directory name: **img**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## themes

- Physical directory name: **themes**.
- Creation time: **Thursday, February 28, 2008 12:16:58 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

**views**

- Physical directory name: **views.**
- Creation time: **Thursday, February 28, 2008 12:16:58 PM.**

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

**Microsoft-Server-ActiveSync**

- Virtual Directory name: **Microsoft-Server-ActiveSync**
- Path: **C:\Program Files\Exchsrvr\OMA\Sync.**

Table 32. Security Permissions

Account	Full	Modify	Exec	List	Read	Write	Spec.
Administrators							X
CREATOR OWNER							X
Power Users							X
SYSTEM							X
TERMINAL SERVER USER							X
Users							X

A = Allow D = Deny, + = Permission is not inherited

**Application Mapping**

Table 33. Script Maps

Extension	Executable Path	Verbs
*	C:\Program Files\Exchsrvr\bin\massync.dll	All
.asa	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.asax	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Extension	Executable Path	Verbs
.ascx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ashx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asmx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asp	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.aspx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.axd	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cdx	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.cer	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.config	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cs	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.csproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.idc	C:\WINDOWS\system32\inetsrv\httpodbc.dll	GET,POST
.licx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.rem	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resources	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.shtm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.shtml	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.soap	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Extension	Executable Path	Verbs
.stm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.vb	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vbproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vsdisco	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.webinfo	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Wildcard Application Maps: **\*NULL\***

### Application Options

- The Session State is **enabled** with a session timeout of minutes.

### ASP File Cache

- Max ASP files cached on disk: **2000**.

### Application Debugging

- **Detailed ASP error messages** are sent to the client.

### Documents

- Default Documents are **enabled**
- Document Footer is **disabled**.

### Authentication

- Anonymous is **disabled**.

### IP Address and Domain Name Restrictions

### HTTP Headers

Table 34. Custom Headers

Header Name	Header Value
X-Powered-By	ASP.NET

### Content Ratings

Directory Rating: **\*NULL\***

Mime Types: **\*NULL\***

Table 35. Custom Errors

Error Number	Error Subnumber	Type	Value
400	<b>*NULL*</b>	FILE	C:\WINDOWS\help\iisHelp\common\400.htm
401	1	Default	"Unauthorized - Logon failed"
401	2	Default	"Unauthorized - Logon failed due to server configuration"
401	3	Default	"Unauthorized - Unauthorized due to ACL on resource"
401	4	Default	"Unauthorized - Authorization failed by filter"
401	5	Default	"Unauthorized - Authorization failed by ISAPI/CGI app"
401	7	Default	"Unauthorized - Denied due to URL Authorization policy"
403	1	FILE	C:\WINDOWS\help\iisHelp\common\403-1.htm
403	2	FILE	C:\WINDOWS\help\iisHelp\common\403-2.htm
403	3	FILE	C:\WINDOWS\help\iisHelp\common\403-3.htm
403	4	FILE	C:\WINDOWS\help\iisHelp\common\403-4.htm
403	5	FILE	C:\WINDOWS\help\iisHelp\common\403-5.htm
403	6	FILE	C:\WINDOWS\help\iisHelp\common\403-6.htm
403	7	FILE	C:\WINDOWS\help\iisHelp\common\403-7.htm
403	8	FILE	C:\WINDOWS\help\iisHelp\common\403-8.htm
403	9	FILE	C:\WINDOWS\help\iisHelp\common\403-9.htm
403	10	FILE	C:\WINDOWS\help\iisHelp\common\403-10.htm
403	11	FILE	C:\WINDOWS\help\iisHelp\common\403-11.htm
403	12	FILE	C:\WINDOWS\help\iisHelp\common\403-12.htm
403	13	FILE	C:\WINDOWS\help\iisHelp\common\403-13.htm
403	14	Default	"Forbidden - Directory Listing Denied"
403	15	FILE	C:\WINDOWS\help\iisHelp\common\403-15.htm
403	16	FILE	C:\WINDOWS\help\iisHelp\common\403-16.htm
403	17	FILE	C:\WINDOWS\help\iisHelp\common\403-17.htm
403	18	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	19	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	20	FILE	C:\WINDOWS\help\iisHelp\common\403-20.htm
404	<b>*NULL*</b>	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm

Error Number	Error Subnumber	Type	Value
404	2	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	3	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
405	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\405.htm
406	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\406.htm
407	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\407.htm
412	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\412.htm
414	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\414.htm
415	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\415.htm
500	*NULL*	Default	"Internal Server Error"
500	12	FILE	C:\WINDOWS\help\iisHelp\common\500-12.htm
500	13	FILE	C:\WINDOWS\help\iisHelp\common\500-13.htm
500	15	FILE	C:\WINDOWS\help\iisHelp\common\500-15.htm
500	16	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	17	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	18	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	19	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	100	Default	"Internal Server Error - ASP error"
501	*NULL*	Default	"Not Implemented"
502	*NULL*	Default	"Bad Gateway"

Virtual Directory List: \*NULL\*

Web Directory List: \*NULL\*

Physical Directory List: \*NULL\*

### BITS Server Extension

BITS Server Extension: \*NULL\*

### OMA

- Virtual Directory name: **OMA**
- Path: **C:\Program Files\Exchsrvr\OMA\Browse.**

Table 36. Security Permissions

Account	Full	Modify	Exec	List	Read	Write	Spec.
Administrators							X
CREATOR OWNER							X

Account	Full	Modify	Exec	List	Read	Write	Spec.
Power Users							X
SYSTEM							X
TERMINAL SERVER USER							X
Users							X

A = Allow D = Deny, + = Permission is not inherited

### Application Mapping

Table 37. Script Maps

Extension	Executable Path	Verbs
.asax	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.aspx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.config	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Wildcard Application Maps: **\*NULL\***

### Application Options

- The Session State is **enabled** with a session timeout of minutes.

### ASP File Cache

- Max ASP files cached on disk: **2000**.

### Application Debugging

- **Detailed ASP error messages** are sent to the client.

### Documents

- Default Documents are **enabled**
- Document Footer is **disabled**.

### Authentication

- Anonymous is **disabled**.

## IP Address and Domain Name Restrictions

### HTTP Headers

Table 38. Custom Headers

Header Name	Header Value
X-Powered-By	ASP.NET

### Content Ratings

Directory Rating: **\*NULL\***

Mime Types: **\*NULL\***

Table 39. Custom Errors

Error Number	Error Subnumber	Type	Value
400	<b>*NULL*</b>	FILE	C:\WINDOWS\help\iisHelp\common\400.htm
401	1	FILE	C:\WINDOWS\help\iisHelp\common\401-1.htm
401	2	FILE	C:\WINDOWS\help\iisHelp\common\401-2.htm
401	3	FILE	C:\WINDOWS\help\iisHelp\common\401-3.htm
401	4	FILE	C:\WINDOWS\help\iisHelp\common\401-4.htm
401	5	FILE	C:\WINDOWS\help\iisHelp\common\401-5.htm
401	7	FILE	C:\WINDOWS\help\iisHelp\common\401-1.htm
403	1	FILE	C:\WINDOWS\help\iisHelp\common\403-1.htm
403	2	FILE	C:\WINDOWS\help\iisHelp\common\403-2.htm
403	3	FILE	C:\WINDOWS\help\iisHelp\common\403-3.htm
403	4	FILE	C:\WINDOWS\help\iisHelp\common\403-4.htm
403	5	FILE	C:\WINDOWS\help\iisHelp\common\403-5.htm
403	6	FILE	C:\WINDOWS\help\iisHelp\common\403-6.htm
403	7	FILE	C:\WINDOWS\help\iisHelp\common\403-7.htm
403	8	FILE	C:\WINDOWS\help\iisHelp\common\403-8.htm
403	9	FILE	C:\WINDOWS\help\iisHelp\common\403-9.htm
403	10	FILE	C:\WINDOWS\help\iisHelp\common\403-10.htm
403	11	FILE	C:\WINDOWS\help\iisHelp\common\403-11.htm
403	12	FILE	C:\WINDOWS\help\iisHelp\common\403-12.htm
403	13	FILE	C:\WINDOWS\help\iisHelp\common\403-13.htm

Error Number	Error Subnumber	Type	Value
403	14	Default	"Forbidden - Directory Listing Denied"
403	15	FILE	C:\WINDOWS\help\iisHelp\common\403-15.htm
403	16	FILE	C:\WINDOWS\help\iisHelp\common\403-16.htm
403	17	FILE	C:\WINDOWS\help\iisHelp\common\403-17.htm
403	18	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	19	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	20	FILE	C:\WINDOWS\help\iisHelp\common\403-20.htm
404	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	2	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	3	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
405	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\405.htm
406	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\406.htm
407	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\407.htm
412	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\412.htm
414	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\414.htm
415	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\415.htm
500	*NULL*	Default	"Internal Server Error"
500	12	FILE	C:\WINDOWS\help\iisHelp\common\500-12.htm
500	13	FILE	C:\WINDOWS\help\iisHelp\common\500-13.htm
500	15	FILE	C:\WINDOWS\help\iisHelp\common\500-15.htm
500	16	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	17	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	18	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	19	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	100	Default	"Internal Server Error - ASP error"
501	*NULL*	Default	"Not Implemented"
502	*NULL*	Default	"Bad Gateway"

Virtual Directory List: \*NULL\*

Web Directory List: \*NULL\*

### BITS Server Extension

BITS Server Extension: \*NULL\*

## bin

- Physical directory name: **bin**.
- Creation time: **Thursday, February 28, 2008 12:16:59 PM**.

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: **\*NULL\***

## Public

- Virtual Directory name: **Public**
- Path: **\\.\BackOfficeStorage\Ecorademo.com\Public Folders**.

Directory Security Permissions: **\*NULL\***

## Application Mapping

Table 40. Script Maps

Extension	Executable Path	Verbs
*	C:\Program Files\Exchsrvr\bin\davex.dll	All
.asa	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.asax	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ascx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ashx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asmx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asp	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.aspx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.axd	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cdx	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE

Extension	Executable Path	Verbs
.cer	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.config	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cs	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.csproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.idc	C:\WINDOWS\system32\inetsrv\httpodbc.dll	GET,POST
.licx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.rem	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resources	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.shtm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.shtml	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.soap	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.stm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.vb	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vbproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vsdisco	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.webinfo	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Wildcard Application Maps: \***NULL**\*

### Application Options

- The Session State is **enabled** with a session timeout of minutes.

### ASP File Cache

- Max ASP files cached on disk: **2000**.

### Application Debugging

- **Detailed ASP error messages** are sent to the client.

### Documents

- Default Documents are **enabled**
- Document Footer is **disabled**.

### Authentication

- Anonymous is **disabled**.

### IP Address and Domain Name Restrictions

### HTTP Headers

Table 41. Custom Headers

Header Name	Header Value
X-Powered-By	ASP.NET

### Content Ratings

Directory Rating: **\*NULL\***

Mime Types: **\*NULL\***

Table 42. Custom Errors

Error Number	Error Subnumber	Type	Value
400	<b>*NULL*</b>	FILE	C:\WINDOWS\help\iisHelp\common\400.htm
401	1	Default	"Unauthorized - Logon failed"
401	2	Default	"Unauthorized - Logon failed due to server configuration"
401	3	Default	"Unauthorized - Unauthorized due to ACL on resource"
401	4	Default	"Unauthorized - Authorization failed by filter"
401	5	Default	"Unauthorized - Authorization failed by ISAPI/CGI app"
401	7	Default	"Unauthorized - Denied due to URL Authorization policy"

Error Number	Error Subnumber	Type	Value
403	1	FILE	C:\WINDOWS\help\iisHelp\common\403-1.htm
403	2	FILE	C:\WINDOWS\help\iisHelp\common\403-2.htm
403	3	FILE	C:\WINDOWS\help\iisHelp\common\403-3.htm
403	4	FILE	C:\WINDOWS\help\iisHelp\common\403-4.htm
403	5	FILE	C:\WINDOWS\help\iisHelp\common\403-5.htm
403	6	FILE	C:\WINDOWS\help\iisHelp\common\403-6.htm
403	7	FILE	C:\WINDOWS\help\iisHelp\common\403-7.htm
403	8	FILE	C:\WINDOWS\help\iisHelp\common\403-8.htm
403	9	FILE	C:\WINDOWS\help\iisHelp\common\403-9.htm
403	10	FILE	C:\WINDOWS\help\iisHelp\common\403-10.htm
403	11	FILE	C:\WINDOWS\help\iisHelp\common\403-11.htm
403	12	FILE	C:\WINDOWS\help\iisHelp\common\403-12.htm
403	13	FILE	C:\WINDOWS\help\iisHelp\common\403-13.htm
403	14	Default	"Forbidden - Directory Listing Denied"
403	15	FILE	C:\WINDOWS\help\iisHelp\common\403-15.htm
403	16	FILE	C:\WINDOWS\help\iisHelp\common\403-16.htm
403	17	FILE	C:\WINDOWS\help\iisHelp\common\403-17.htm
403	18	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	19	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	20	FILE	C:\WINDOWS\help\iisHelp\common\403-20.htm
404	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	2	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	3	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
405	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\405.htm
406	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\406.htm
407	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\407.htm
412	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\412.htm
414	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\414.htm
415	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\415.htm
500	*NULL*	Default	"Internal Server Error"
500	12	FILE	C:\WINDOWS\help\iisHelp\common\500-12.htm
500	13	FILE	C:\WINDOWS\help\iisHelp\common\500-13.htm
500	15	FILE	C:\WINDOWS\help\iisHelp\common\500-15.htm
500	16	FILE	C:\WINDOWS\help\iisHelp\common\500.htm

Error Number	Error Subnumber	Type	Value
500	17	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	18	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	19	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	100	Default	"Internal Server Error - ASP error"
501	*NULL*	Default	"Not Implemented"
502	*NULL*	Default	"Bad Gateway"

Virtual Directory List: \*NULL\*

Web Directory List: \*NULL\*

Physical Directory List: \*NULL\*

### BITS Server Extension

BITS Server Extension: \*NULL\*

### aspnet\_client

- Web Directory name: **aspnet\_client**.
- Path: **c:\inetpub\wwwroot\aspnet\_client**

Table 43. Security Permissions

Account	Full	Modify	Exec	List	Read	Write	Spec.
Administrators	A+	A+	A+	A+	A+	A+	
Everyone					A+		
SYSTEM	A+	A+	A+	A+	A+	A+	
Users					A+		

A = Allow D = Deny, + = Permission is not inherited

### Directory Access

- Script source access: **disabled**.
- Read Access: **enabled**.
- Write Access: **disabled**.
- Directory Browsing: **disabled**.
- Log visits: **enabled**.
- Index this resource: **enabled**.

### Application Settings

- Name: **Default Application**
- Execute Permissions: **None.**
- Application Pool: **DefaultAppPool**

### Application Mapping

- The caching of ISAPI applications is **enabled.**

Table 44. Script Maps

Extension	Executable Path	Verbs
.asa	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.asax	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ascx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ashx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asmx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asp	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.aspx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.axd	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cdx	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.cer	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.config	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cs	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.csproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.idc	C:\WINDOWS\system32\inetsrv\httpodbc.dll	GET,POST

Extension	Executable Path	Verbs
.licx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.rem	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resources	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.shtm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.shtml	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.soap	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.stm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.vb	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vbproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vsdisco	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.webinfo	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Wildcard Application Maps: **\*NULL\***

### Application Options

- Application Protection: **Medium (Pooled)**.
- The Session State is **enabled** with a session timeout of **20** minutes.
- Buffering is **enabled**.
- Parent paths are **disabled**.
- The default ASP Language is **VBScript**.
- The ASP Script Timeout is **90** seconds.
- Side by Side assemblies: **disabled**
- Manifest file name: **disabled**

### ASP File Cache

- Max ASP files cached in memory: **500**.

- Max ASP files cached on disk: **2000**.
- Disc Cache directory: **%windir%\system32\inetsrv\ASP Compiled Templates**.
- The number of Script Engines cached: **250**.

### Application Debugging

- Server-side ASP Script Debugging is **disabled**.
- Client-side ASP Script Debugging is **disabled**.
- **Detailed ASP error messages** are sent to the client.

### Documents

- Default Documents are **disabled**
- Document Footer is **disabled**.

### Authentication

- Anonymous is **enabled**.
  - Anonymous user name is **IUSR\_MRBSRV1**.
  - Allow IIS to control password is **enabled**.
- Basic authentication is **disabled**.
- Integrated windows authentication is **disabled**.
- Digest authentication is **disabled**.
- NET Passport authentication is disabled.
- Default Domain: not defined.
- Realm: not defined.

### IP Address and Domain Name Restrictions

- All computers will be **granted** access

### HTTP Headers

- Content Expiration: **Expire after 1 Day(s)**.

Table 45. Custom Headers

Header Name	Header Value
X-Powered-By	ASP.NET

### Content Ratings

Directory Rating: **\*NULL\***

Mime Types: **\*NULL\***

Table 46. Custom Errors

Error Number	Error Subnumber	Type	Value
400	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\400.htm
401	1	FILE	C:\WINDOWS\help\iisHelp\common\401-1.htm
401	2	FILE	C:\WINDOWS\help\iisHelp\common\401-2.htm
401	3	FILE	C:\WINDOWS\help\iisHelp\common\401-3.htm
401	4	FILE	C:\WINDOWS\help\iisHelp\common\401-4.htm
401	5	FILE	C:\WINDOWS\help\iisHelp\common\401-5.htm
401	7	FILE	C:\WINDOWS\help\iisHelp\common\401-1.htm
403	1	FILE	C:\WINDOWS\help\iisHelp\common\403-1.htm
403	2	FILE	C:\WINDOWS\help\iisHelp\common\403-2.htm
403	3	FILE	C:\WINDOWS\help\iisHelp\common\403-3.htm
403	4	FILE	C:\WINDOWS\help\iisHelp\common\403-4.htm
403	5	FILE	C:\WINDOWS\help\iisHelp\common\403-5.htm
403	6	FILE	C:\WINDOWS\help\iisHelp\common\403-6.htm
403	7	FILE	C:\WINDOWS\help\iisHelp\common\403-7.htm
403	8	FILE	C:\WINDOWS\help\iisHelp\common\403-8.htm
403	9	FILE	C:\WINDOWS\help\iisHelp\common\403-9.htm
403	10	FILE	C:\WINDOWS\help\iisHelp\common\403-10.htm
403	11	FILE	C:\WINDOWS\help\iisHelp\common\403-11.htm
403	12	FILE	C:\WINDOWS\help\iisHelp\common\403-12.htm
403	13	FILE	C:\WINDOWS\help\iisHelp\common\403-13.htm
403	14	Default	"Forbidden - Directory Listing Denied"
403	15	FILE	C:\WINDOWS\help\iisHelp\common\403-15.htm
403	16	FILE	C:\WINDOWS\help\iisHelp\common\403-16.htm
403	17	FILE	C:\WINDOWS\help\iisHelp\common\403-17.htm
403	18	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	19	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	20	FILE	C:\WINDOWS\help\iisHelp\common\403-20.htm
404	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	2	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	3	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
405	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\405.htm
406	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\406.htm

Error Number	Error Subnumber	Type	Value
407	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\407.htm
412	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\412.htm
414	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\414.htm
415	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\415.htm
500	*NULL*	Default	"Internal Server Error"
500	12	FILE	C:\WINDOWS\help\iisHelp\common\500-12.htm
500	13	FILE	C:\WINDOWS\help\iisHelp\common\500-13.htm
500	15	FILE	C:\WINDOWS\help\iisHelp\common\500-15.htm
500	16	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	17	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	18	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	19	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	100	Default	"Internal Server Error - ASP error"
501	*NULL*	Default	"Not Implemented"
502	*NULL*	Default	"Bad Gateway"

Virtual Directory List: \*NULL\*

Web Directory List: \*NULL\*

### system\_web

- Physical directory name: **system\_web.**
- Full path: **c:\inetpub\wwwroot\aspnet\_client\system\_web.**
- Creation time: **Wednesday, February 27, 2008 2:21:58 PM.**

Directory access, application settings and all other properties are inherited from the parent folder. Note, that after you customize the settings for a physical directory it becomes a virtual directory.

Physical Directory List: \*NULL\*

## 6 SMTP Virtual Servers

Table 47. SMTP Virtual Servers

Description	Status
Default SMTP Virtual Server	Running

## 6.1 Default SMTP Virtual Server

- Server description: **Default SMTP Virtual Server.**
- Server state: **Running.**

Table 48. Server Bindings

IP Address	TCP Port
(All Unassigned)	25

### Incoming Connections

- The maximum simultaneous connections: **Unlimited.**
- The connection timeout is **600** seconds.

### Outgoing Connections

- Connection Limit: **1000.**
- Time-out is **10** minutes.
- Connection limit per domain: **100.**
- TCP Port is **25.**

### Logging

- Logging is **disabled.**

### Authentication

- Anonymous is **enabled.**
- Basic authentication is **enabled.**
- Integrated windows authentication is **enabled.**
- Default domain: .
- TLS Encryption is **disabled.**

### Communication

- Secure channel **is not** required.

### Connection Control

- All computers will be **granted** access

### Relay Restrictions

- **No** computers will be allowed to relay through this virtual server.

- Allow all computers which successfully authenticate to relay: **Yes**.

## Messages

- Message size limit (KB): **Unlimited**.
- Session size limit (KB): **Unlimited**.
- Max number of messages per connection: **20**.
- Max recipients per message: **64000**.
- Send a copy of non-delivery report to: .
- Bad mail directory is **C:\Program Files\Exchsrvr\Mailroot\vsi 1\BadMail**.

## Delivery

- Outbound
  - First retry interval: **10** minutes.
  - Second retry interval: **10** minutes.
  - Third retry interval: **10** minutes.
  - Subsequent retry interval: **15** minutes.
  - Delay notification is **12 hours**.
  - Expiration timeout is **2 days**.
- Local
  - Delay notification is **12 hours**.
  - Expiration timeout is **2 days**.
- Outbound Security
  - **Anonymous access** will be used for outbound security.
  - TLS encryption is **disabled**.
- Advanced Delivery
  - Maximum Hop Count is **30** hops.
  - Masquerade Domain: .
  - Fully qualified domain name: **MRBSRV1.Ecorademo.com**.
  - Smart host: .
  - Attempt direct delivery before sending to smart host: **\*NULL\***.
  - Perform reverse DNS lookup on incoming messages: **No**.

## LDAP Routing

- LDAP Routing is **enabled**.
  - Server is Not defined
  - Schema is .
  - Binding is Service account.
  - Domain is not defined.
  - User name is not defined.
  - Base is not defined.

## Operators

1. NT AUTHORITY\SYSTEM
2. NT AUTHORITY\LOCAL SERVICE
3. NT AUTHORITY\NETWORK SERVICE
4. MRBSRV1\IIS\_WPG
5. BUILTIN\Administrators
6. ECORADEMO\MRBSRV1\$
7. ECORADEMO\Exchange Domain Servers
8. ECORADEMO\Administrator
9. ECORADEMO\Exchange Domain Servers
10. ECORADEMO\Ecora
11. ECORADEMO\Enterprise Admins
12. ECORADEMO\Domain Admins

### 6.1.1 SMTP Domains

Table 49. SMTP Domains

Name	Type
Domain	Local (Default)
Ecorademo.com	Custom

#### Domain

- Domain name: **Domain.**
- Domain type: **Local (Default).**

Outbound Security: \***NULL**\*

#### Ecorademo.com

- Domain name: **Ecorademo.com.**
- Domain type: **Custom.**

Outbound Security: \***NULL**\*

## 7 NNTP Virtual Servers

Table 50. NNTP Virtual Servers

Description	Status
Default NNTP Virtual Server	Stopped

## 7.1 Default NNTP Virtual Server

- Server description: **Default NNTP Virtual Server.**
- Server state: **Stopped.**
- Path header: .

### Connections

- Maximum simultaneous connections: **5000.**
- Connection timeout is **120** seconds.

Table 51. Server Bindings

IP Address	TCP Port
(All Unassigned)	119

Table 52. SSL Identities

IP Address	SSL Port
(All Unassigned)	563

### Logging

- Logging is **disabled.**

### Authentication

- Anonymous is **disabled.**
- Basic authentication is **enabled.**
- Integrated windows authentication is **enabled.**
- SSL client authentication is **disabled.**

### Connection Control

- All computers will be **granted** access

### Settings

- Client posting **is** allowed.
- Post size limit (KB): **1000.**
- Connection size limit (MB): **20.**
- Feed posting **is** allowed.
- Post size limit (KB): **1500.**
- Connection size limit (MB): **40.**

- Other servers **are** allowed to pull news articles from this server.
- Control messages **are not** allowed.
- SMTP server for moderated groups: Not defined.
- Default moderator domain: Not defined.
- Administrator E-mail Account: **usenet**.

## Operators

1. NT AUTHORITY\SYSTEM
2. NT AUTHORITY\LOCAL SERVICE
3. NT AUTHORITY\NETWORK SERVICE
4. MRBSRV1\IIS\_WPG
5. BUILTIN\Administrators
6. ECORADEMO\MRBSRV1\$
7. ECORADEMO\Exchange Domain Servers
8. ECORADEMO\Administrator
9. ECORADEMO\Exchange Domain Servers
10. ECORADEMO\Ecora
11. ECORADEMO\Enterprise Admins
12. ECORADEMO\Domain Admins

## 7.1.1 Virtual Directories

Table 53. Virtual Directories

Name	Location
control	C:\Inetpub\ntpfile\root\control
ROOT	/Internet Newsgroups

### control

- Virtual Directory: **control**
- Content Location: **C:\Inetpub\ntpfile\root\control**.

### Access restrictions

- Posting to this virtual directory is **enabled**.
- Visibility **is not** restricted.

### Content Control

- Content **is** indexed.
- Log Access **Enabled**

### Security

- Secure channel **is not** required.

### ROOT

- Virtual Directory: **ROOT**
- Content Location: **/Internet Newsgroups.**

### Access restrictions

- Posting to this virtual directory is **enabled.**
- Visibility **is not** restricted.

### Content Control

- Content **is** indexed.
- Log Access **Enabled**

### Security

- Secure channel **is not** required.

## 7.1.2 Expiration Policies

**\*NULL\***

\* Attributes for this topic have been suppressed \*

## 8 Application Pools

Table 54. Application Pools

Name	Status	Account
DefaultAppPool	Started	Network Service
ExchangeApplicationPool	Started	Local System
ExchangeMobileBrowseApplicationPool	Started	Network Service

### 8.1 DefaultAppPool

- Application pool name: **DefaultAppPool.**
- Application pool is **Started.**

### Recycling

- Recycle working processes (in minutes): **1740**.
- Recycle working process (number of requests): **Disabled**.
- Recycle working processes at the following times: **disabled**

### Memory Recycling

- Maximum virtual memory (in megabytes): **Disabled**.
- Maximum used memory (in megabytes): **Disabled**.

### Performance

- Shutdown worker processes after being idle for (time in minutes): **20**.
- Limit the kernel request queue (number of requests): **1000**.

### CPU Monitoring

- CPU monitoring is **disabled**.

### Web Garden

- Maximum number of worker processes: **1**.

### Health

- Pinging is **enabled**, ping worker processes every **30** seconds.
- Rapid-fail protection is **enabled** (**5** failures within **5** minutes).
- Startup time limit: **90** seconds.
- Shutdown time limit: **90** seconds.

### Identity

- Security account for this application pool: **Network Service**, user: **\*NULL\***.

Table 55. Applications in this Application Pool

Description	Path
Default Application	<Default Web Site>

## 8.2 ExchangeApplicationPool

- Application pool name: **ExchangeApplicationPool**.
- Application pool is **Started**.

### Recycling

- Recycle working processes (in minutes): **Disabled.**
- Recycle working process (number of requests): **Disabled.**
- Recycle working processes at the following times: **disabled**

### Memory Recycling

- Maximum virtual memory (in megabytes): **Disabled.**
- Maximum used memory (in megabytes): **Disabled.**

### Performance

- Shutdown worker processes after being idle for (time in minutes): **Disabled.**
- Limit the kernel request queue (number of requests): **1000.**

### CPU Monitoring

- CPU monitoring is **disabled.**

### Web Garden

- Maximum number of worker processes: **1.**

### Health

- Pinging is **enabled**, ping worker processes every **30** seconds.
- Rapid-fail protection is **enabled** (**5** failures within **5** minutes).
- Startup time limit: **90** seconds.
- Shutdown time limit: **90** seconds.

### Identity

- Security account for this application pool: **Local System**, user: **\*NULL\***.

Table 56. Applications in this Application Pool

Description	Path
/LM/W3SVC/1/root/Microsoft-Server-ActiveSync	<Default Web Site>/Microsoft-Server-ActiveSync
Default Application	<Default Web Site>/Exadmin
Default Application	<Default Web Site>/Exchange
Default Application	<Default Web Site>/ExchWeb
Default Application	<Default Web Site>/Public

Description	Path
Default Application	<Default Web Site>/ExchWeb/bin

## 8.3 ExchangeMobileBrowseApplicationPool

- Application pool name: **ExchangeMobileBrowseApplicationPool**.
- Application pool is **Started**.

### Recycling

- Recycle working processes (in minutes): **Disabled**.
- Recycle working process (number of requests): **Disabled**.
- Recycle working processes at the following times: **disabled**

### Memory Recycling

- Maximum virtual memory (in megabytes): **Disabled**.
- Maximum used memory (in megabytes): **Disabled**.

### Performance

- Shutdown worker processes after being idle for (time in minutes): **Disabled**.
- Limit the kernel request queue (number of requests): **1000**.

### CPU Monitoring

- CPU monitoring is **disabled**.

### Web Garden

- Maximum number of worker processes: **1**.

### Health

- Pinging is **enabled**, ping worker processes every **30** seconds.
- Rapid-fail protection is **enabled** (**5** failures within **5** minutes).
- Startup time limit: **90** seconds.
- Shutdown time limit: **90** seconds.

### Identity

- Security account for this application pool: **Network Service**, user: **\*NULL\***.

Table 57. Applications in this Application Pool

Description	Path
/LM/W3SVC/1/root/OMA	<Default Web Site>/OMA

## 9 Backups

Table 58. IIS Server backups

Location	Backup #	Date/Time
Initial Backup - created automatically by IIS setup	1	Wednesday, February 27, 2008 12:17:50 PM

Automatic Backups are not shown here.

## 10 Default Web Site Properties

### Connections

- Maximum simultaneous connections: **Unlimited**.
- Connection timeout is **120** seconds.
- HTTP Keep-Alives are **enabled**.

### Logging

- Logging is **enabled**.
  - Active log format: **W3C Extended Log File Format**.
  - ODBC Logging Properties: **\*NULL\***
    - New log time period: **Daily**, file size: **\*NULL\*** MB
    - Log file directory: **C:\WINDOWS\system32\LogFiles**.
    - Local date **is not** used for Log naming and rollover.
    - Extended Logging Options
      - Both date and time will be displayed for the following:
        - Client IP Address
        - User Name
        - Service Name
        - Server IP Address
        - Server Port
        - Method
        - URI Stem
        - URI Query
        - Protocol Status
        - Protocol Substatus
        - Win32 Status

- User Agent
- Active Processes
- Event Logging
- Kernel CPU Time
- Process Logging
- Page Faults
- Process Type
- Process Terminating
- Process Total
- User CPU Time

- Performance tuning is set for **fewer than 100,000** hits per day.

Table 59. ISAPI Filters

Name	Status	Description	Executable	Priority
ASP.NET_1.1.432 2.2379	Loaded	ASP.NET Cookieless Session Filter	C:\WINDOWS\Mic rosoft.NET\Frame work\v1.1.4322\aspnet_filter.dll	Low

### Operators

1. NT AUTHORITY\LOCAL SERVICE
2. NT AUTHORITY\NETWORK SERVICE
3. MRBSRV1\IIS\_WPG
4. BUILTIN\Administrators

### Directory Access

- Script source access: **disabled.**
- Read Access: **enabled.**
- Write Access: **disabled.**
- Directory Browsing: **disabled.**
- Log visits: **enabled.**
- Index this resource: **enabled.**

### Application Settings

- Name:
- Execute Permissions: **None.**

### Application Mapping

- The caching of ISAPI applications is **enabled.**

Table 60. Script Maps

Extension	Executable Path	Verbs
.asa	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.asax	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ascx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.ashx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asmx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.asp	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.aspx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.axd	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cdx	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.cer	C:\WINDOWS\system32\inetsrv\asp.dll	GET,HEAD,POST,TRACE
.config	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.cs	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.csproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.idc	C:\WINDOWS\system32\inetsrv\httpodbc.dll	GET,POST
.licx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.rem	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resources	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.resx	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Extension	Executable Path	Verbs
.shtm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.shtml	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.soap	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.stm	C:\WINDOWS\system32\inetsrv\ssinc.dll	GET,POST
.vb	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vbproj	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.vsdisco	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG
.webinfo	C:\WINDOWS\Microsoft.NET\Framework\v1.1.4322\aspnet_isapi.dll	GET,HEAD,POST,DEBUG

Wildcard Application Maps: **\*NULL\***

### Application Options

- The Session State is **enabled** with a session timeout of **20** minutes.
- Buffering is **enabled**.
- Parent paths are **disabled**.
- The default ASP Language is **VBScript**.
- The ASP Script Timeout is **90** seconds.
- Side by Side assemblies: **disabled**
- Manifest file name: **disabled**

### Application Process Options

- Writing unsuccessful requests is **enabled**.
- Debugging exception catching is **enabled**.
- The CGI Script Timeout is **300** seconds.

### ASP File Cache

- Max ASP files cached in memory: **500**.
- Max ASP files cached on disk: **2000**.
- Disc Cache directory: **%windir%\system32\inetsrv\ASP Compiled Templates**.
- The number of Script Engines cached: **250**.

### Application Debugging

- Server-side ASP Script Debugging is **disabled**.
- Client-side ASP Script Debugging is **disabled**.
- **Detailed ASP error messages** are sent to the client.

### Documents

- Default Documents are **enabled**
  - Default Documents
    - A. Default.htm
    - B. Default.asp
    - C. index.htm
    - D. Default.aspx
- Document Footer is **disabled**.

### Authentication

- Anonymous is **enabled**.
  - Anonymous user name is **IUSR\_MRBSRV1**.
  - Allow IIS to control password is **enabled**.
- Basic authentication is **disabled**.
- Integrated windows authentication is **disabled**.
- Digest authentication is **disabled**.
- NET Passport authentication is disabled.
- Default Domain: not defined.
- Realm: not defined.

### IP Address and Domain Name Restrictions

- All computers will be **granted** access

### HTTP Headers

- Content Expiration: **Expire after 1 Day(s)**.

Table 61. Custom Headers

Header Name	Header Value
X-Powered-By	ASP.NET

### Content Ratings

Directory Rating: **\*NULL\***

Mime Types: **\*NULL\***

Table 62. Custom Errors

Error Number	Error Subnumber	Type	Value
400	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\400.htm
401	1	FILE	C:\WINDOWS\help\iisHelp\common\401-1.htm
401	2	FILE	C:\WINDOWS\help\iisHelp\common\401-2.htm
401	3	FILE	C:\WINDOWS\help\iisHelp\common\401-3.htm
401	4	FILE	C:\WINDOWS\help\iisHelp\common\401-4.htm
401	5	FILE	C:\WINDOWS\help\iisHelp\common\401-5.htm
401	7	FILE	C:\WINDOWS\help\iisHelp\common\401-1.htm
403	1	FILE	C:\WINDOWS\help\iisHelp\common\403-1.htm
403	2	FILE	C:\WINDOWS\help\iisHelp\common\403-2.htm
403	3	FILE	C:\WINDOWS\help\iisHelp\common\403-3.htm
403	4	FILE	C:\WINDOWS\help\iisHelp\common\403-4.htm
403	5	FILE	C:\WINDOWS\help\iisHelp\common\403-5.htm
403	6	FILE	C:\WINDOWS\help\iisHelp\common\403-6.htm
403	7	FILE	C:\WINDOWS\help\iisHelp\common\403-7.htm
403	8	FILE	C:\WINDOWS\help\iisHelp\common\403-8.htm
403	9	FILE	C:\WINDOWS\help\iisHelp\common\403-9.htm
403	10	FILE	C:\WINDOWS\help\iisHelp\common\403-10.htm
403	11	FILE	C:\WINDOWS\help\iisHelp\common\403-11.htm
403	12	FILE	C:\WINDOWS\help\iisHelp\common\403-12.htm
403	13	FILE	C:\WINDOWS\help\iisHelp\common\403-13.htm
403	14	Default	"Forbidden - Directory Listing Denied"
403	15	FILE	C:\WINDOWS\help\iisHelp\common\403-15.htm
403	16	FILE	C:\WINDOWS\help\iisHelp\common\403-16.htm
403	17	FILE	C:\WINDOWS\help\iisHelp\common\403-17.htm
403	18	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	19	FILE	C:\WINDOWS\help\iisHelp\common\403.htm
403	20	FILE	C:\WINDOWS\help\iisHelp\common\403-20.htm
404	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	2	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
404	3	FILE	C:\WINDOWS\help\iisHelp\common\404b.htm
405	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\405.htm
406	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\406.htm

Error Number	Error Subnumber	Type	Value
407	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\407.htm
412	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\412.htm
414	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\414.htm
415	*NULL*	FILE	C:\WINDOWS\help\iisHelp\common\415.htm
500	*NULL*	Default	"Internal Server Error"
500	12	FILE	C:\WINDOWS\help\iisHelp\common\500-12.htm
500	13	FILE	C:\WINDOWS\help\iisHelp\common\500-13.htm
500	15	FILE	C:\WINDOWS\help\iisHelp\common\500-15.htm
500	16	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	17	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	18	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	19	FILE	C:\WINDOWS\help\iisHelp\common\500.htm
500	100	Default	"Internal Server Error - ASP error"
501	*NULL*	Default	"Not Implemented"
502	*NULL*	Default	"Bad Gateway"

### ASP .NET

- ASP .NET version: **1.1.4322.**

### Service

#### Isolation Mode

- Run WWW Service in 5.0 isolation mode: **Disabled**

#### HTTP Compression

- Compress application files **Disabled**
- Compress static files **Disabled**
- Temporary directory: **\*NULL\***
- Maximum temporary directory size: **\*NULL\* MB.**

## 11 Default FTP Properties

**\*NULL\***

\* Attributes for this topic have been suppressed \*

## 12 Default Application Pool Properties

### Recycling

- Recycle working processes (in minutes): **1740**.
- Recycle working process (number of requests): **Disabled**.
- Recycle working processes at the following times: **disabled**

### Memory Recycling

- Maximum virtual memory (in megabytes): **Disabled**.
- Maximum used memory (in megabytes): **Disabled**.

### Performance

- Shutdown worker processes after being idle for (time in minutes): **20**.
- Limit the kernel request queue (number of requests): **1000**.

### CPU Monitoring

- CPU monitoring is **disabled**.

### Web Garden

- Maximum number of worker processes: **1**.

### Health

- Pinging is **enabled**, ping worker processes every **30** seconds.
- Rapid-fail protection is **enabled** (**5** failures within **5** minutes).
- Startup time limit: **90** seconds.
- Shutdown time limit: **90** seconds.

### Identity

- Security account for this application pool: **Network Service**, user: **\*NULL\***.