

User ID and Privledges

Period: **Last 20 week(s)**
 Generated: **Wednesday, May 28, 2008 6:12:41 PM**
 For: **Internal Auditor InternalAuditor@ecora.com**
 By: Ecora Auditor Professional 4.5 - Oracle DBMS Module 4.5.8111.18300
 Using: FFR Definition 'User ID and Privledges'
 Description: A Fact-Finding report will show values greater than, less than, or unlike a threshold value you set. These reports are very surgical in their precision - you can pull precisely the data you need, but they also offer a wealth of data through hundreds of built-in reports created by experts.

User ID and Privledges

Table of Contents

User Privileges **1**

Collected Not-Collected Legend

DEFAULT	The value presented in the report was not directly reported by the target, but implied by the current value or lack of a value for the attribute
UA	Unavailable attribute. The current configuration or version of target platform does not provide a value for this attribute. More detail in logs
FC	Collection of value failed
NS	Value not selected for collection

User Privileges

Table 1. User Privileges

User Db Name	profile	Granted roles	Granted system privileges
ORCLECOR	DEFAULT	*NULL*	
ORCLECOR	DEFAULT	AQ_ADMINISTRATOR_ROLE	
ORCLECOR	DEFAULT	AQ_USER_ROLE	
ORCLECOR	DEFAULT	CONNECT	
ORCLECOR	DEFAULT	CTXAPP	
ORCLECOR	DEFAULT	DBA	
ORCLECOR	DEFAULT	EXECUTE_CATALOG_ROLE	
ORCLECOR	DEFAULT	JAVASYSPRIV	
ORCLECOR	DEFAULT	JAVAUSERPRIV	

User Db Name	profile	Granted roles	Granted system privileges
ORCLECOR	DEFAULT	MGMT_USER	
ORCLECOR	DEFAULT	OLAP_DBA	
ORCLECOR	DEFAULT	RESOURCE	
ORCLECOR	DEFAULT	SELECT_CATALOG_ROLE	
ORCLECOR	DEFAULT	WKUSER	
ORCLECOR	DEFAULT	WM_ADMIN_ROLE	
ORCLECOR	DEFAULT	XDBADMIN	
ORCLECOR	MONITORING_PROFILE	CONNECT	
ORCLECOR	MONITORING_PROFILE	OEM_MONITOR	
PCI_AUDI	DEFAULT	*NULL*	
PCI_AUDI	DEFAULT	CONNECT	
PCI_AUDI	DEFAULT	CTXAPP	
PCI_AUDI	DEFAULT	DBA	
PCI_AUDI	DEFAULT	EXECUTE_CATALOG_ROLE	
PCI_AUDI	DEFAULT	JAVASYSPRIV	
PCI_AUDI	DEFAULT	JAVAUSERPRIV	
PCI_AUDI	DEFAULT	MGMT_USER	
PCI_AUDI	DEFAULT	OLAP_DBA	
PCI_AUDI	DEFAULT	RESOURCE	
PCI_AUDI	DEFAULT	SELECT_CATALOG_ROLE	
PCI_AUDI	DEFAULT	WKUSER	
PCI_AUDI	DEFAULT	WM_ADMIN_ROLE	
PCI_AUDI	DEFAULT	XDBADMIN	
PCI_AUDI	MONITORING_PROFILE	CONNECT	
PCI_AUDI	MONITORING_PROFILE	OEM_MONITOR	
PCI_AUDI	DEFAULT		DROP TABLESPACE
PCI_AUDI	DEFAULT		AUDIT ANY
ORCLECOR	DEFAULT		CREATE ANY INDEX
ORCLECOR	DEFAULT		CREATE RULE SET
ORCLECOR	DEFAULT		ADVISOR
PCI_AUDI	DEFAULT		ADMINISTER ANY SQL TUNING SET
ORCLECOR	DEFAULT		AUDIT SYSTEM
PCI_AUDI	DEFAULT		GLOBAL QUERY REWRITE
ORCLECOR	DEFAULT		DROP ANY TYPE
ORCLECOR	DEFAULT		ALTER ANY SQL PROFILE

User Db Name	profile	Granted roles	Granted system privileges
PCI_AUDI	DEFAULT		GRANT ANY OBJECT PRIVILEGE
PCI_AUDI	DEFAULT		CREATE INDEXTYPE
PCI_AUDI	DEFAULT		UNDER ANY VIEW
PCI_AUDI	DEFAULT		CREATE ANY TABLE
ORCLECOR	DEFAULT		DROP ANY RULE SET
ORCLECOR	DEFAULT		ALTER ANY TABLE
ORCLECOR	DEFAULT		IMPORT FULL DATABASE
PCI_AUDI	DEFAULT		CREATE ANY INDEXTYPE
ORCLECOR	DEFAULT		DEBUG CONNECT SESSION
ORCLECOR	DEFAULT		CREATE VIEW
ORCLECOR	DEFAULT		ADMINISTER RESOURCE MANAGER
ORCLECOR	DEFAULT		COMMENT ANY TABLE
ORCLECOR	DEFAULT		CREATE ANY JOB
PCI_AUDI	DEFAULT		DROP ANY MATERIALIZED VIEW
PCI_AUDI	DEFAULT		EXECUTE ANY LIBRARY
ORCLECOR	DEFAULT		GRANT ANY PRIVILEGE
PCI_AUDI	DEFAULT		CREATE LIBRARY
PCI_AUDI	DEFAULT		DROP ANY INDEX
PCI_AUDI	DEFAULT		CREATE ANY TYPE
PCI_AUDI	DEFAULT		UPDATE ANY TABLE
ORCLECOR	DEFAULT		UNDER ANY TABLE
ORCLECOR	DEFAULT		FORCE TRANSACTION
ORCLECOR	DEFAULT		CREATE USER
PCI_AUDI	DEFAULT		ALTER ANY SEQUENCE
ORCLECOR	DEFAULT		ALTER ANY PROCEDURE
PCI_AUDI	DEFAULT		DELETE ANY TABLE
ORCLECOR	DEFAULT		ALTER ANY INDEXTYPE
ORCLECOR	DEFAULT		DROP ANY DIMENSION
PCI_AUDI	DEFAULT		DROP ANY RULE
PCI_AUDI	DEFAULT		DROP ANY OUTLINE
ORCLECOR	DEFAULT		DROP ANY CLUSTER
PCI_AUDI	DEFAULT		EXECUTE ANY RULE
ORCLECOR	DEFAULT		CREATE TABLESPACE
ORCLECOR	DEFAULT		CREATE ROLLBACK SEGMENT
ORCLECOR	DEFAULT		DROP ANY TABLE

User Db Name	profile	Granted roles	Granted system privileges
ORCLECOR	DEFAULT		CREATE ANY OUTLINE
PCI_AUDI	DEFAULT		ALTER ANY LIBRARY
PCI_AUDI	DEFAULT		CREATE ANY SYNONYM
ORCLECOR	DEFAULT		DROP ANY RULE
ORCLECOR	DEFAULT		DROP ANY VIEW
ORCLECOR	DEFAULT		GRANT ANY ROLE
PCI_AUDI	DEFAULT		LOCK ANY TABLE
PCI_AUDI	DEFAULT		SELECT ANY TABLE
PCI_AUDI	DEFAULT		CREATE JOB
PCI_AUDI	DEFAULT		CREATE RULE
ORCLECOR	DEFAULT		CREATE ANY EVALUATION CONTEXT
ORCLECOR	DEFAULT		CREATE ANY OPERATOR
ORCLECOR	DEFAULT		CREATE ANY SYNONYM
PCI_AUDI	DEFAULT		ENQUEUE ANY QUEUE
ORCLECOR	DEFAULT		FLASHBACK ANY TABLE
ORCLECOR	DEFAULT		CREATE ANY SQL PROFILE
ORCLECOR	DEFAULT		ALTER SESSION
PCI_AUDI	DEFAULT		EXECUTE ANY RULE SET
PCI_AUDI	DEFAULT		DROP ANY DIRECTORY
ORCLECOR	DEFAULT		SELECT ANY DICTIONARY
PCI_AUDI	DEFAULT		ALTER ANY DIMENSION
PCI_AUDI	DEFAULT		CREATE ANY TRIGGER
ORCLECOR	DEFAULT		CREATE TABLE
ORCLECOR	DEFAULT		DROP ANY DIRECTORY
PCI_AUDI	DEFAULT		ON COMMIT REFRESH
ORCLECOR	DEFAULT		ALTER TABLESPACE
PCI_AUDI	DEFAULT		EXECUTE ANY TYPE
PCI_AUDI	DEFAULT		ALTER ANY RULE SET
PCI_AUDI	DEFAULT		RESTRICTED SESSION
PCI_AUDI	DEFAULT		QUERY REWRITE
ORCLECOR	DEFAULT		DROP ANY LIBRARY
ORCLECOR	DEFAULT		CREATE SYNONYM
ORCLECOR	DEFAULT		MANAGE TABLESPACE
PCI_AUDI	DEFAULT		DROP ANY SEQUENCE
ORCLECOR	DEFAULT		DROP ANY INDEXTYPE

User Db Name	profile	Granted roles	Granted system privileges
PCI_AUDI	DEFAULT		CREATE DIMENSION
ORCLECOR	DEFAULT		ALTER ANY TYPE
PCI_AUDI	DEFAULT		CREATE ANY RULE SET
ORCLECOR	DEFAULT		DEBUG ANY PROCEDURE
ORCLECOR	DEFAULT		ALTER ANY EVALUATION CONTEXT
PCI_AUDI	DEFAULT		ALTER ANY TRIGGER
ORCLECOR	DEFAULT		CREATE RULE
PCI_AUDI	DEFAULT		ALTER ANY INDEXTYPE
PCI_AUDI	DEFAULT		DROP ANY SYNONYM
PCI_AUDI	DEFAULT		CREATE CLUSTER
ORCLECOR	DEFAULT		CREATE ROLE
ORCLECOR	DEFAULT		DROP ANY OPERATOR
ORCLECOR	DEFAULT		QUERY REWRITE
PCI_AUDI	DEFAULT		CREATE PUBLIC SYNONYM
PCI_AUDI	DEFAULT		EXPORT FULL DATABASE
ORCLECOR	DEFAULT		CREATE SEQUENCE
PCI_AUDI	DEFAULT		DROP ANY PROCEDURE
PCI_AUDI	DEFAULT		DROP PROFILE
PCI_AUDI	DEFAULT		CREATE VIEW
ORCLECOR	DEFAULT		DROP PUBLIC SYNONYM
ORCLECOR	DEFAULT		ALTER ANY ROLE
ORCLECOR	DEFAULT		CREATE OPERATOR
PCI_AUDI	DEFAULT		ALTER SYSTEM
PCI_AUDI	DEFAULT		SELECT ANY DICTIONARY
ORCLECOR	DEFAULT		SELECT ANY TRANSACTION
PCI_AUDI	DEFAULT		DROP ANY DIMENSION
PCI_AUDI	DEFAULT		ALTER ANY RULE
PCI_AUDI	DEFAULT		ALTER ANY TABLE
ORCLECOR	DEFAULT		EXECUTE ANY PROCEDURE
ORCLECOR	DEFAULT		EXECUTE ANY LIBRARY
PCI_AUDI	DEFAULT		CREATE ANY LIBRARY
ORCLECOR	DEFAULT		DROP USER
ORCLECOR	DEFAULT		CREATE ANY DIRECTORY
ORCLECOR	DEFAULT		EXECUTE ANY OPERATOR
PCI_AUDI	DEFAULT		CREATE TYPE

User Db Name	profile	Granted roles	Granted system privileges
PCI_AUDI	DEFAULT		MANAGE ANY QUEUE
ORCLECOR	DEFAULT		EXECUTE ANY CLASS
ORCLECOR	DEFAULT		DROP ANY MATERIALIZED VIEW
PCI_AUDI	MONITORING_PROFILE		UNLIMITED TABLESPACE
PCI_AUDI	DEFAULT		EXECUTE ANY OPERATOR
ORCLECOR	DEFAULT		DROP ROLLBACK SEGMENT
ORCLECOR	DEFAULT		DROP ANY SYNONYM
PCI_AUDI	DEFAULT		CREATE ROLLBACK SEGMENT
PCI_AUDI	DEFAULT		DROP ANY OPERATOR
PCI_AUDI	DEFAULT		SELECT ANY TRANSACTION
PCI_AUDI	DEFAULT		FORCE ANY TRANSACTION
PCI_AUDI	DEFAULT		ALTER ANY CLUSTER
ORCLECOR	DEFAULT		ALTER DATABASE
PCI_AUDI	DEFAULT		CREATE USER
ORCLECOR	DEFAULT		DROP ANY PROCEDURE
PCI_AUDI	DEFAULT		ALTER ANY OUTLINE
PCI_AUDI	MONITORING_PROFILE		SELECT ANY DICTIONARY
PCI_AUDI	DEFAULT		DROP USER
PCI_AUDI	DEFAULT		BECOME USER
PCI_AUDI	DEFAULT		ALTER SESSION
PCI_AUDI	DEFAULT		CREATE ANY SQL PROFILE
ORCLECOR	DEFAULT		EXECUTE ANY PROGRAM
PCI_AUDI	DEFAULT		DROP ANY CONTEXT
ORCLECOR	DEFAULT		CREATE ANY MATERIALIZED VIEW
ORCLECOR	DEFAULT		DROP ANY ROLE
PCI_AUDI	DEFAULT		ADMINISTER SQL TUNING SET
PCI_AUDI	DEFAULT		CREATE PUBLIC DATABASE LINK
ORCLECOR	DEFAULT		CREATE EVALUATION CONTEXT
PCI_AUDI	DEFAULT		CREATE PROCEDURE
ORCLECOR	DEFAULT		DROP ANY EVALUATION CONTEXT
PCI_AUDI	DEFAULT		CREATE ROLE
ORCLECOR	DEFAULT		UNDER ANY VIEW
ORCLECOR	DEFAULT		DELETE ANY TABLE
PCI_AUDI	DEFAULT		ADMINISTER DATABASE TRIGGER
ORCLECOR	DEFAULT		CREATE ANY VIEW

User Db Name	profile	Granted roles	Granted system privileges
ORCLECOR	DEFAULT		EXPORT FULL DATABASE
PCI_AUDI	DEFAULT		MANAGE TABLESPACE
PCI_AUDI	DEFAULT		DROP ROLLBACK SEGMENT
PCI_AUDI	DEFAULT		ALTER ANY MATERIALIZED VIEW
PCI_AUDI	DEFAULT		ALTER ANY INDEX
PCI_AUDI	DEFAULT		ANALYZE ANY
PCI_AUDI	DEFAULT		IMPORT FULL DATABASE
PCI_AUDI	DEFAULT		CREATE TABLE
PCI_AUDI	DEFAULT		CREATE PROFILE
PCI_AUDI	DEFAULT		SELECT ANY SEQUENCE
PCI_AUDI	DEFAULT		DEQUEUE ANY QUEUE
ORCLECOR	DEFAULT		GRANT ANY OBJECT PRIVILEGE
PCI_AUDI	DEFAULT		CREATE ANY SEQUENCE
ORCLECOR	DEFAULT		CREATE PUBLIC SYNONYM
PCI_AUDI	DEFAULT		CREATE RULE SET
PCI_AUDI	DEFAULT		UNLIMITED TABLESPACE
ORCLECOR	DEFAULT		CREATE SESSION
ORCLECOR	DEFAULT		ALTER SYSTEM
ORCLECOR	DEFAULT		DROP ANY TRIGGER
PCI_AUDI	DEFAULT		CREATE SYNONYM
PCI_AUDI	DEFAULT		CREATE SESSION
ORCLECOR	DEFAULT		UNLIMITED TABLESPACE
ORCLECOR	DEFAULT		ALTER RESOURCE COST
ORCLECOR	DEFAULT		SELECT ANY TABLE
PCI_AUDI	DEFAULT		FORCE TRANSACTION
ORCLECOR	DEFAULT		CREATE CLUSTER
ORCLECOR	DEFAULT		ANALYZE ANY
PCI_AUDI	DEFAULT		CREATE ANY VIEW
ORCLECOR	DEFAULT		ALTER ANY DIMENSION
ORCLECOR	DEFAULT		CREATE DIMENSION
ORCLECOR	DEFAULT		ALTER ANY TRIGGER
ORCLECOR	DEFAULT		DROP ANY OUTLINE
PCI_AUDI	DEFAULT		CREATE ANY CONTEXT
PCI_AUDI	DEFAULT		GRANT ANY ROLE
ORCLECOR	DEFAULT		SELECT ANY SEQUENCE

User Db Name	profile	Granted roles	Granted system privileges
ORCLECOR	DEFAULT		CREATE DATABASE LINK
PCI_AUDI	DEFAULT		AUDIT SYSTEM
ORCLECOR	DEFAULT		ALTER ANY RULE SET
ORCLECOR	DEFAULT		EXECUTE ANY RULE SET
ORCLECOR	DEFAULT		EXECUTE ANY TYPE
PCI_AUDI	DEFAULT		CREATE ANY DIMENSION
PCI_AUDI	DEFAULT		ALTER USER
PCI_AUDI	DEFAULT		CREATE ANY JOB
PCI_AUDI	DEFAULT		CREATE TABLESPACE
PCI_AUDI	DEFAULT		CREATE ANY OUTLINE
ORCLECOR	DEFAULT		ALTER ANY SEQUENCE
PCI_AUDI	DEFAULT		ADMINISTER RESOURCE MANAGER
ORCLECOR	DEFAULT		CREATE TRIGGER
PCI_AUDI	DEFAULT		CREATE EVALUATION CONTEXT
PCI_AUDI	DEFAULT		DEBUG CONNECT SESSION
PCI_AUDI	DEFAULT		ADVISOR
PCI_AUDI	DEFAULT		CREATE ANY DIRECTORY
PCI_AUDI	DEFAULT		CREATE ANY OPERATOR
PCI_AUDI	DEFAULT		*NULL*
ORCLECOR	DEFAULT		CREATE TYPE
ORCLECOR	DEFAULT		EXECUTE ANY EVALUATION CONTEXT
ORCLECOR	DEFAULT		DROP PROFILE
PCI_AUDI	DEFAULT		CREATE ANY EVALUATION CONTEXT
PCI_AUDI	DEFAULT		CREATE SEQUENCE
ORCLECOR	DEFAULT		CREATE ANY INDEXTYPE
ORCLECOR	DEFAULT		FORCE ANY TRANSACTION
ORCLECOR	DEFAULT		UNDER ANY TYPE
PCI_AUDI	DEFAULT		UNDER ANY TYPE
ORCLECOR	DEFAULT		DROP ANY SEQUENCE
ORCLECOR	DEFAULT		CREATE ANY SEQUENCE
ORCLECOR	DEFAULT		CREATE LIBRARY
PCI_AUDI	DEFAULT		EXECUTE ANY EVALUATION CONTEXT
ORCLECOR	DEFAULT		CREATE INDEXTYPE
PCI_AUDI	DEFAULT		DROP PUBLIC DATABASE LINK
ORCLECOR	DEFAULT		MANAGE ANY QUEUE

User Db Name	profile	Granted roles	Granted system privileges
PCI_AUDI	DEFAULT		DROP ANY TABLE
ORCLECOR	DEFAULT		ADMINISTER DATABASE TRIGGER
PCI_AUDI	DEFAULT		ALTER ANY SQL PROFILE
ORCLECOR	DEFAULT		DROP TABLESPACE
PCI_AUDI	DEFAULT		DROP ANY TYPE
ORCLECOR	DEFAULT		ADMINISTER ANY SQL TUNING SET
ORCLECOR	DEFAULT		GLOBAL QUERY REWRITE
PCI_AUDI	DEFAULT		COMMENT ANY TABLE
ORCLECOR	DEFAULT		AUDIT ANY
ORCLECOR	DEFAULT		CREATE MATERIALIZED VIEW
PCI_AUDI	DEFAULT		CREATE MATERIALIZED VIEW
PCI_AUDI	DEFAULT		DROP ANY SQL PROFILE
ORCLECOR	DEFAULT		UPDATE ANY TABLE
ORCLECOR	DEFAULT		ENQUEUE ANY QUEUE
PCI_AUDI	DEFAULT		CREATE ANY RULE
PCI_AUDI	DEFAULT		DEBUG ANY PROCEDURE
PCI_AUDI	DEFAULT		DROP PUBLIC SYNONYM
PCI_AUDI	DEFAULT		ALTER PROFILE
ORCLECOR	DEFAULT		DROP ANY CONTEXT
ORCLECOR	DEFAULT		CREATE PROCEDURE
PCI_AUDI	DEFAULT		EXECUTE ANY INDEXTYPE
PCI_AUDI	DEFAULT		DROP ANY EVALUATION CONTEXT
ORCLECOR	DEFAULT		CREATE ANY LIBRARY
ORCLECOR	DEFAULT		ALTER ANY INDEX
ORCLECOR	DEFAULT		CREATE ANY CLUSTER
PCI_AUDI	DEFAULT		ALTER TABLESPACE
ORCLECOR	DEFAULT		CREATE PUBLIC DATABASE LINK
ORCLECOR	DEFAULT		MANAGE SCHEDULER
PCI_AUDI	DEFAULT		DROP ANY LIBRARY
ORCLECOR	DEFAULT		BECOME USER
ORCLECOR	DEFAULT		CREATE JOB
PCI_AUDI	DEFAULT		EXECUTE ANY CLASS
PCI_AUDI	DEFAULT		DROP ANY RULE SET
ORCLECOR	DEFAULT		ALTER ROLLBACK SEGMENT
ORCLECOR	DEFAULT		DROP ANY SQL PROFILE

User Db Name	profile	Granted roles	Granted system privileges
ORCLECOR	DEFAULT		RESUMABLE
ORCLECOR	DEFAULT		ALTER ANY OUTLINE
ORCLECOR	DEFAULT		ALTER ANY MATERIALIZED VIEW
PCI_AUDI	DEFAULT		GRANT ANY PRIVILEGE
ORCLECOR	DEFAULT		BACKUP ANY TABLE
ORCLECOR	DEFAULT		DROP PUBLIC DATABASE LINK
PCI_AUDI	DEFAULT		EXECUTE ANY PROCEDURE
ORCLECOR	MONITORING_PROFILE		SELECT ANY DICTIONARY
PCI_AUDI	DEFAULT		ALTER DATABASE
PCI_AUDI	DEFAULT		INSERT ANY TABLE
PCI_AUDI	DEFAULT		ALTER ANY ROLE
ORCLECOR	DEFAULT		RESTRICTED SESSION
PCI_AUDI	DEFAULT		CREATE ANY PROCEDURE
PCI_AUDI	DEFAULT		DROP ANY CLUSTER
PCI_AUDI	DEFAULT		BACKUP ANY TABLE
ORCLECOR	DEFAULT		ALTER USER
PCI_AUDI	DEFAULT		CREATE TRIGGER
ORCLECOR	DEFAULT		CREATE ANY TYPE
PCI_AUDI	DEFAULT		EXECUTE ANY PROGRAM
ORCLECOR	DEFAULT		*NULL*
PCI_AUDI	DEFAULT		CREATE OPERATOR
ORCLECOR	DEFAULT		ALTER ANY CLUSTER
PCI_AUDI	DEFAULT		ALTER RESOURCE COST
ORCLECOR	DEFAULT		DROP ANY INDEX
ORCLECOR	DEFAULT		CREATE ANY DIMENSION
PCI_AUDI	DEFAULT		RESUMABLE
PCI_AUDI	DEFAULT		UNDER ANY TABLE
PCI_AUDI	DEFAULT		ALTER ANY PROCEDURE
ORCLECOR	DEFAULT		INSERT ANY TABLE
ORCLECOR	DEFAULT		LOCK ANY TABLE
ORCLECOR	DEFAULT		CREATE ANY TRIGGER
PCI_AUDI	DEFAULT		DROP ANY ROLE
ORCLECOR	DEFAULT		ADMINISTER SQL TUNING SET
ORCLECOR	DEFAULT		ALTER PROFILE
PCI_AUDI	DEFAULT		CREATE ANY MATERIALIZED VIEW

User Db Name	profile	Granted roles	Granted system privileges
PCI_AUDI	DEFAULT		MANAGE SCHEDULER
PCI_AUDI	DEFAULT		ALTER ROLLBACK SEGMENT
PCI_AUDI	DEFAULT		DROP ANY INDEXTYPE
ORCLECOR	DEFAULT		ON COMMIT REFRESH
PCI_AUDI	DEFAULT		ALTER ANY EVALUATION CONTEXT
PCI_AUDI	DEFAULT		CREATE ANY CLUSTER
PCI_AUDI	DEFAULT		ALTER ANY TYPE
ORCLECOR	DEFAULT		CREATE ANY RULE SET
PCI_AUDI	DEFAULT		CREATE DATABASE LINK
ORCLECOR	DEFAULT		CREATE ANY CONTEXT
ORCLECOR	DEFAULT		CREATE ANY RULE
ORCLECOR	MONITORING_PROFILE		UNLIMITED TABLESPACE
PCI_AUDI	DEFAULT		DROP ANY VIEW
ORCLECOR	DEFAULT		CREATE PROFILE
ORCLECOR	DEFAULT		ALTER ANY RULE
ORCLECOR	DEFAULT		EXECUTE ANY INDEXTYPE
ORCLECOR	DEFAULT		CREATE ANY TABLE
ORCLECOR	DEFAULT		ALTER ANY LIBRARY
PCI_AUDI	DEFAULT		DROP ANY TRIGGER
PCI_AUDI	DEFAULT		FLASHBACK ANY TABLE
ORCLECOR	DEFAULT		CREATE ANY PROCEDURE
PCI_AUDI	DEFAULT		CREATE ANY INDEX
ORCLECOR	DEFAULT		DEQUEUE ANY QUEUE
ORCLECOR	DEFAULT		EXECUTE ANY RULE